



APPENDIX H1

Upper Spencer Gulf marine species list

H1.1 MARINE SPECIES RECORDED OR POTENTIALLY OCCURRING IN UPPER SPENCER GULF

The species list in Table H1.1 includes aquatic species actually recorded and likely to occur in Upper Spencer Gulf. The key to the reference sources for species presence identified in Table H1.1 is provided in Table H1.2. It provides an update to the species list provided in Appendix O2 of the Draft EIS, using sources that were not available at the time of publication of the Draft EIS.

The following notes refer to columns in Table H1.1.

Status

Letters under column AUS = the category of threat listed under the Environment Protection and Biodiversity Conservation Act 1999 (E = Endangered, V = Vulnerable, Mi = listed migratory species, Ma = listed marine species, W = whales and other cetaceans) and under column SA = the category of threat listed under the South Australian National Parks and Wildlife Act 1972 (E = Endangered, V = Vulnerable, R = Rare) or Fisheries Management Act 2007 (P = Protected)

Other conservation significance (but with no formal status):

- Tropical affinities (TA)
- Endemic to Upper Spencer Gulf (EU) or Spencer Gulf (ES)
- Uncommon (UN).

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
Cyanobacteria					
<i>Lyngbya</i> sp.	A cyanobacterium				27
<i>Microcoleus</i> sp.	A cyanobacterium				27
<i>Scytonema</i> sp.	A cyanobacterium				27
Diatoms					
<i>Licmophora</i>	Stalked diatom colonies				2
Green algae					
<i>Bryopsis</i> sp.					2
<i>Caulerpa cactoides</i>					3, 26, 27, 41
<i>Caulerpa</i> sp.					4
<i>Chlorodesmis baculifera</i>					26
<i>Cladophora bainesii</i>					26
<i>Codium harveyi</i>					26
<i>Codium</i> sp.					4, 9
<i>Derbesia</i> sp.					7, 8
<i>Ulva flexuosa</i> subspecies <i>paradoxa</i>	Thread Enteromorpha				2
<i>Ulva</i> sp.					4
Brown algae					
<i>Austronereia australis</i>					7#, 8#, 26
<i>Asperococcus bullosus</i>	Tapeweed Bubble Weed				7, 8, 26
<i>Bellotia eriophorum</i>					26
<i>Caulocystis cephalornithos</i>					2, 9, 26
<i>Caulocystis</i> sp.					7

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Cladosiphon</i> sp.					26
<i>Cladostephus spongiosus</i>					41
<i>Colpomenia</i> sp.	Bubble Weed				2
<i>Cystophora botryocystis</i>	Grape Cystophora				2
<i>Cystophora pectinata</i>					41
<i>Cystophora polycystidea</i>	Mini-Bladder Cystophora				2, 9
<i>Cystophora</i> sp.					4
<i>Cystoseira trinodis</i>					13
<i>Dictyopteris australis</i>					26
<i>Dictyopteris muelleri</i>	Veined Rabbit Ears				2, 3, 4, 26, 41
<i>Dictyota ciliolata</i>					41
<i>Dictyota dichotoma</i>	Small Rabbit Ears				2, 26
<i>Dictyota diemensis</i>	Large Rabbit Ears				2
<i>Dilophus</i> sp.					13
<i>Distromium flabellatum</i>					26
<i>Ectocarpus fasciculatus</i>					41
<i>Hinckesia mitchelliae</i>	Khaki Fuzz				2
<i>Hinckesia sordida</i>	Snot Weed				7#, 8
<i>Hinckesia</i> sp.	Tangled Turf Weed				8
<i>Hinckesia</i> spp.					3, 7
<i>Hormophysa cuneiformis</i>				TA	5, 7, 41
<i>Hormosira banksii</i>					4, 5, 7, 26, 41
<i>Kuckuckia spinosa</i>					26
<i>Lobophora variegata</i>	Brown Fan Weed				2, 9, 13
<i>Lobospira bicuspidata</i>					41
<i>Myriodesma integrifolia</i>					3
<i>Myriodesma leptophyllum</i>	Narrow Brown Forked Weed				2
<i>Nemacystis novae-zelandiae</i>					26
<i>Perithalia caudata</i>					41
<i>Pachydictyon polycladum</i>					3
<i>Sargassum decurrens</i>				TA	5, 26
<i>Sargassum paradoxum</i>					26
<i>Sargassum</i> sp. (subgenus <i>Arthrophyucus</i>)					3
<i>Sargassum spinuligerum</i>	Serrated Leaf Sargassum				2
<i>Sargassum</i> spp.					4, 13, 26
<i>Scaberia agardhii</i>	Cork Weed				2, 4, 5, 9, 13
<i>Sphacelaria rigidula</i>					2
<i>Sporochnus comosus</i>					13, 26

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Stilophora rhizodes</i>					26
<i>Zonaria angustata</i>					41
<i>Zonaria crenata</i>					41
<i>Zonaria turneriana</i>					41
Red algae					
<i>Antrocentrum nigrescens</i>	Red Threads				2#, 26
<i>Bangia</i> sp.					2#
<i>Peyssonnelia</i> sp.					2#
<i>Spongoclonium</i> sp.					7#, 8#
<i>Acrosorium ciliolatum</i>	Narrow Hooked Cellophane Plant				2
<i>Acrosorium</i> sp.					8#
<i>Acrosorium venulosum</i>					26
<i>Amphiroa anceps</i>					4
<i>Antithamnion delicatulum</i>					26
<i>Asparagopsis armata</i>					4
<i>Asparagopsis</i> sp.					9
<i>Bonnemaisonia australis</i>					26
<i>Botryocladia sonderi</i>	Red Cluster Cups				2, 3, 9, 13, 26, 41
<i>Brongniartella australis</i>					3, 26
<i>Callithamnion byssoides</i>					2
<i>Callithamnion caulescens</i>					3
<i>Callithamnion confertum</i>	Red Threads				2
<i>Callithamnion</i> sp.					26#
<i>Centroceros clavulatum</i>					2, 3, 7, 8
<i>Ceramiceae</i>					7, 8
<i>Ceramium</i> sp.					3
<i>Champia affinis</i>					13
<i>Champia zostericola</i>	Shepherds Crook Champia				2, 26
<i>Cheilosporum sagittatum</i>					4
<i>Chiracanthia arborea</i>					26
<i>Chondria harveyana</i>					26
<i>Chondria succulenta</i>					7, 8
<i>Chondrophycus brandenii</i>					26
<i>Cliftonaea pectinata</i>					26, 41
<i>Coelarthrum opuntia</i>	Branched Chain Weed				2, 7, 9, 13, 26
<i>Coeloclonium tasmanicum</i>					3
<i>Craspedocarpus ramentaceus</i>					26
<i>Crouania destriana</i>				UN	2

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Dasya crescens</i>					2, 7, 8
<i>Dasya extensa</i>	Red-Yarn Weed				2, 7, 26
<i>Dasya hookeri</i>					7
<i>Dasya</i> spp.					7, 8, 26
<i>Dasya villosa</i>	Red-Yarn Weed				2, 3, 7
<i>Dictyomenia harveyana</i>					2, 26
<i>Dictyomenia tridens</i>					2
<i>Doxodasya bolbochaete</i>	Denuded red stalks				2, 26
<i>Dudresnaya australis</i>					26
<i>Echinothamnion hystrix</i>					26
<i>Erythroclonium muelleri</i>					2, 26, 41
<i>Gattya pinella</i>	Thin Red Straps				2, 26
<i>Gelidium</i> sp. 2					41
<i>Gelidium asperum</i>					41
<i>Gelinaria ulvoidea</i>	Slippery Red				2, 9
<i>Gigartina brachiata</i>	Wiry Red Mat Plant				2
<i>Gloiocladia fruticulosa</i>					2, 3
<i>Gloiocladia polycarpa</i>					2
<i>Gloiosaccion brownii</i>	Red cigar-shaped alga				2, 3, 26
<i>Gracilaria flageliformis</i>					41
<i>Gracilaria secundata</i>					41
<i>Gracilaria</i> sp. 3, 5					41
<i>Gracilaria</i> sp.					26
<i>Haliptilon roseum</i>	Articulated coralline red alga				2
<i>Halodictyon arachnoideum</i>					2, 3, 8
<i>Halymenia muelleri</i>	Foliose red slippery alga				2
<i>Herposiphonia monilifera</i>					2, 13#
<i>Herposiphonia versicolor</i>					26
<i>Heterosiphonia gunniana</i>					26
<i>Heterosiphonia lawrenciana</i>					26
<i>Heterosiphonia muelleri</i>					2
<i>Hirsutithallia angustata</i>					7
<i>Hydrolythion farinosum</i>	Seaweed Scale				2
<i>Hypnea charoides</i>	Right-angled Spiny Hypnea				2
<i>Hypnea</i> sp.					3, 7#, 26
<i>Jania micrarthrodia</i>	White tufts				2, 13, 26
<i>Jania</i> sp.					2, 4
<i>Kallymenia cribrosa</i>	Red, perforated sheet alga				2, 9

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Laurencia majuscula</i>					2, 3, 13
<i>Laurencia</i> sp.					2, 4, 9
<i>Lophothalia hormoclados</i>					2, 26
<i>Lophothalioid</i> sp.					26
<i>Macrothamnion pellucidum</i>					2
<i>Macrothamnion secundum</i>					26
<i>Melanthalia obtusata</i>					41
<i>Metagoniolithon stelliferum</i>					26
<i>Micropeuce</i> sp.					26
<i>Mychodea aciculare</i>					2, 26
<i>Mychodea carnosa</i>					2, 26
<i>Osmundaria prolifera</i>					41
<i>Phacelocarpus peperocarpus</i>					41
<i>Platysiphonia mutabilis</i>					26
<i>Pollexfenia pedicellata</i>	Dark-red Cellophane Plant				2, 3, 26
<i>Polysiphonia crassiuscula</i>					26
<i>Polysiphonia decipiens</i>					13, 26
<i>Polysiphonia</i> sp.					7
<i>Polysiphonia</i> sp. 1					2
<i>Polysiphonia</i> sp. 2					2
<i>Protokuetzingia australasica</i>					26
<i>Pterothamnion flexile</i>				UN	5, 10
<i>Rhabdonia coccinea</i>					7, 26
<i>Rhabdonia verticillata</i>					13
<i>Rhodoglossum gigartinooides</i>					41
<i>Rhodymenia australis</i>					2#
<i>Rhodymenia</i> sp.					9
<i>Schottera nicaeensis</i>	Pink Paddles				2
<i>Solieria robusta</i>					2, 3, 13, 26, 41
<i>Sonderopelta</i> sp.					2#
<i>Spongoclonium conspicuum</i>					26, 41
<i>Spongoclonium fasciculatum</i>					26
<i>Spongoclonium</i> spp.					26
<i>Sporolithon durum</i>					41
<i>Spyridia dasyoides</i>					2
<i>Spyridia tasmanica</i>					26
<i>Stenogramme leptophylla</i>					2
<i>Thamnoclonium dichotomum</i>					41

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Warrenia comosa</i>					2, 7, 8, 13, 26
<i>Wrangelia</i> sp.					2
Seagrasses					
<i>Amphibolis antarctica</i>					24, 26, 27, 28, 41
<i>Amphibolis</i> spp.					2, 3, 5, 8, 13, 14
<i>Halophila australis</i>					3
<i>Halophila ovalis</i>					4, 5, 14, 26, 27
<i>Halophila</i> sp.	Paddleweed				2, 8
<i>Heterozostera nigricaulis</i>	Eelgrass				3, 4, 5, 13, 14, 25, 26, 27, 28
<i>Lepaelina</i> sp.					28
<i>Posidonia angustifolia</i>	Tapeweed				26, 28
<i>Posidonia australis</i>	Tapeweed				2, 5, 7, 8, 13, 14, 21, 24, 25, 26, 27, 28
<i>Posidonia sinuosa</i>	Tapeweed				2, 4, 5, 13, 21, 24, 25, 26, 27
<i>Ruppia</i> sp.					28, 41
<i>Zostera muelleri</i> subspecies <i>mucronata</i>	Garweed		R		5, 21, 26, 27, 28
<i>Zostera muelleri</i> subspecies <i>muelleri</i>	Garweed				28
<i>Zostera</i> sp.	Garweed				2, 25
Mangroves					
<i>Avicennia marina</i>	Grey Mangrove			TA	4, 9
Sponges					
<i>Ancorina</i> sp.					37
<i>Aplysina</i> sp.					37
<i>Asteropus</i> sp.					37
<i>Biemna</i> sp.					37, 41
<i>Callyspongia</i> sp.					37
<i>Caulospongia</i> sp. 1					37, 41
cf <i>Suberea</i> sp.					37
<i>Chalinid</i> sp.1					41
<i>Chondrilla</i> sp. 1					37, 41
<i>Chondropsis</i> sp. 1					37, 41
<i>Chondropsis</i> sp. 2					37
Class <i>Calcarea</i>					37
<i>Clathria</i> sp. 1					37
<i>Clathria</i> sp. 2					37, 41
<i>Clathria</i> sp.					37

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Dictyoceratid</i> sp. 2, 3, 6, 7, 8, 9					41
<i>Echinochalina</i> sp. 1					37
<i>Echinoclathria</i> sp.					37
<i>Echinoclathria</i> sp.					41
<i>Echinodictyum mesenterinum</i>					37, 41
<i>Echinodictyum</i> sp. 2					37
<i>Echinodictyum</i> sp. 3					37, 41
<i>Echinodictyum</i> sp. 4					37, 41
<i>Echinodictyum</i> sp. 5					37, 41
<i>Ecionemia</i> sp. 1					37, 41
<i>Ecionemia</i> sp. 2					37, 41
<i>Ecionemia</i> sp. 3					37
<i>Ecionemia</i> sp. 4					37
<i>Fasciospongia</i> sp. 1					37, 41
<i>Halichondria</i> sp. 1					37, 41
<i>Haplosclerid</i> sp. 1, 2					41
<i>Holopsamma cf laminaefavosa</i>					37
<i>Holopsamma laminaefavosa</i>					9, 37, 41
<i>Iotrochopsamma cf arbuscula</i>					37
<i>Ircinia</i> sp. 1					37, 41
<i>Ircinia</i> sp. 2					37, 41
<i>Ircinia</i> sp. 3					37, 41
<i>Ircinia</i> sp. 4					37
<i>Jaspis</i> sp.					37, 41
<i>Leiosella</i> sp. 1					37, 41
<i>Luffariella</i> sp.					37, 41
<i>Phoriospongia</i> sp. 1					37
<i>Phyllospongia calyciformis</i>	Cupulate sponge				2, 9
<i>Poecilosclerid</i> sp. 1, 2, 3					41
<i>Psammocinia</i> sp. 1					37
<i>Raspailia</i> sp.					37
Sponge – encrusting/amorphous					2, 7, 9
Sponge – erect					2, 9
Sponge – fan shaped					2
Sponge – spheroidal					2, 7, 8, 9
Sponge – tubular					8, 9
<i>Spongia</i> sp. 2					37
<i>Spongiid</i> sp. 1, 2					41

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Tethya australis</i>	'Golf ball' sponge				2, 3
<i>Tethya ingalli</i>					37, 41
<i>Tethya</i> sp.					9, 37
<i>Tethya</i> sp. 1					37, 41
<i>Tethya</i> sp. 2					37
<i>Thorecta</i> sp					41
<i>Thorectid</i> sp					41
<i>Trachycladus</i> sp. 1					37
Unidentified sponge (sp. 1)					29
Unidentified sponge (sp. 2)					29
Unidentified sponge (sp. 3)					29
Cnidarians					
<i>Eunephythys</i> sp.	A soft coral				22
<i>Amphisbetia</i> sp.					3
<i>Bimeria australis</i>					26
<i>Capnella gaboensis</i>					26, 41
<i>Carijoa multiflora</i>	Sponge covered soft coral			TA	2, 3, 4, 5, 7, 8, 9, 13, 22, 25, 27, 41
<i>Cerianthus</i> sp.	Tube anemone				4
<i>Clathraria</i> sp.	A gorgonian coral				2, 5
<i>Clytia hemisphaerica</i>	A hydroid				26
<i>Culicia</i> sp.	Small coral cups				2
<i>Diphasia subcarinata</i>	Paired polyp hydroid				2
<i>Echinogorgia</i> sp.	A gorgonian coral			EU	5, 8, 11, 26
<i>Edwardsia vivipara</i>	An anemone			UN	5
<i>Eudendrium generale</i>	A hydroid				26
<i>Euplexaura</i> sp.	A gorgonian coral				2#, 5, 26
<i>Halopteris campanula</i>					41
<i>Halopteris glutenosa</i>					41
Hydroid sp. 1	Athecate hydroid				4
Hydroid sp. 2	Thecate hydroid				4
Hydroid sp. 3	Moniliform sand covered hydroid				2
Hydroid spp.					23
<i>Mopsella zimmeri</i>					41
<i>Nemertesia procumbens</i>					2, 4, 7, 41
<i>Pennaria disticha</i>	A hydroid				2, 3
<i>Phylctenactis</i> sp.	An anemone				22, 23, 26#
<i>Plesiastrea versipora</i>	Colonial stony coral				2, 4, 9

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Plumulariidae</i> sp.					2
<i>Plumularia setacea</i>	A hydroid				26
<i>Sarcoptilus grandis</i>	A sea pen				5, 7
<i>Sarcoptilus</i> sp.	A sea pen				2, 3
<i>Scytalium</i> sp.				EU	4, 5, 26
<i>Solanderia</i> sp.					2#
Unidentified sea whip					9
Unidentified jellyfish					23
<i>Virgularia gustaviana</i>	Short Quill Sea Pen			TA	5, 26
<i>Virgularia mirabilis</i>	Slender Sea Pen				5, 26
Polychaete worms					
<i>Ampharetidae</i> sp. 1					21, 29
<i>Amphitritinae</i> sp. 3					29
<i>Amphitritinae</i> sp. 4					29
<i>Aonides oxycephala</i>					29
<i>Arabella</i> sp. 1					21, 29
<i>Aricidea</i> sp. 2					29
<i>Arandia intermedia</i>					21, 29
<i>Artacamella tribranchiata</i>					33
<i>Asychis</i> sp.					29
<i>Augeneria verdis</i>					21, 29
<i>Barantolla</i> sp.					21, 29
<i>Boccardia</i> sp. 1					29
Calcareous tube worms					9
<i>Capitella capitata</i>					21, 29
<i>Caulleriella</i> sp. 1					29
<i>Caulleriella</i> sp. 2					29
<i>Caulleriella</i> sp. 3					21, 29
<i>Caulleriella</i> sp. 4					21, 29
<i>Ceratonereis mirabilis</i>					21, 29
<i>Ceratonereis</i> sp. 1					21, 29
<i>Chaetopterus variopedatus</i>	A Parchment Tube Worm				11, 13, 22#, 26
<i>Chrysopetalum</i> sp.					29
<i>Cirratulidae</i> sp. 1					29
<i>Cirriformia</i> sp. 1					21, 29
<i>Cirriformia</i> sp. 2					21, 29
<i>Decathelepus</i> sp.					29

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Ehlersia</i> sp.					29
<i>Eteone</i> sp.					21, 29
<i>Euchone variabilis</i>					21#, 29#
<i>Eumida</i> sp.					21, 29
<i>Eunice</i> sp. 1					29
<i>Eunice</i> sp. 3					29
<i>Eunice</i> sp. 4					21
<i>Eunice</i> sp. 5					29
<i>Eunice</i> sp. 6					29
<i>Eunice</i> sp. 9					29
<i>Eunicidae</i> sp.					44
<i>Eunicidae</i> sp. 1					29
<i>Eunicidae</i> sp. 11					29
<i>Eupolymnia koorangia</i>	Medusa Tube Worm				21, 29
<i>Exogone</i> sp.					29
<i>Galeolaria caespitosa</i>					4, 29#
<i>Glycera americana</i>					21, 29
<i>Glycinde</i> sp. 1					21, 29
<i>Goniada maculata</i>					29
<i>Gymnonereis</i> sp.					29
<i>Harmothoe</i> sp. 1	A Scale Worm				21, 29
<i>Harmothoe</i> sp. 2					29
<i>Harmothoe</i> sp. 3					29
<i>Heteromastus filiformis</i>					21, 29
<i>Hyboscolex dicranochaetus</i>					29
<i>Hydroides</i> sp. 1	A Tube Worm				21, 29
<i>Infauna holes</i>					8
<i>Isolda pulchella</i>					29
<i>Lanassa exelysis</i>					21, 29
<i>Lanassa ocellata</i>					29
<i>Lanicides fascia</i>					29
<i>Laonome</i> sp. 1	A Fan Worm				29
<i>Leiochrides</i> sp. 1					29
<i>Leitoscoloplos</i> sp. 1					29
<i>Lumbrineris</i> sp. 1					29
<i>Lysidice</i> sp. 1					21, 29
<i>Lysilla laciniata</i>					29

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Magelona</i> sp.					29
<i>Malacoceros</i> sp. 1					21, 29
<i>Maldanidae</i> sp. 3					29
<i>Marphysa</i> sp. 1	A Blood Worm				29
<i>Marphysa</i> sp. 2	A Blood Worm				21, 29
<i>Mediomastus australiensis</i>					21
<i>Mediomastus</i> sp.					29
<i>Myxicola infundibulum</i> *					9
<i>Naineris grubei australis</i>					29
<i>Neanthes bassi</i>					21, 29
<i>Neanthes kerguelensis</i>					21, 29
<i>Neanthes</i> sp. 1					21, 29
<i>Neanthes</i> sp. 2					29
<i>Neanthes</i> sp. 3					29
<i>Neanthes vaalii</i>					21, 29
<i>Nematonereis unicornis</i>					21#, 29#
<i>Neoleprea</i> sp.					21, 29
<i>Nephtys gravieri</i>					21, 29
<i>Nereididae</i> sp.					4, 21, 27, 44
<i>Nereididae</i> sp. 2					29
<i>Nereis bifida</i>					21, 29
<i>Nicolea amnis</i>					29
<i>Notomastus</i> sp. 1					21, 29
<i>Notomastus torquatus</i>					29
<i>Odontosyllis</i> sp. 1					29
<i>Odontosyllis</i> sp. 2					29
<i>Onuphidae</i> sp. 1					21, 29
<i>Opheliidae</i> sp.					44
<i>Ophiodromus angustifrons</i>					21, 29
<i>Ophiodromus microantennatus</i>					29
<i>Orbiniidae</i> sp.					29
<i>Owenia fusiformis</i>					29
<i>Paralepidonotus ampulliferus</i>	A Scale Worm				29
<i>Paranaitis</i> sp.					29
<i>Pectinaria antipoda</i>					29#
<i>Petaloproctus</i> sp.					21, 29
<i>Phyllodoce</i> sp. A	A Paddle Worm				21, 29

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Phyllocoridae</i> spp.	Paddle Worms				29#, 44
<i>Phylo</i> sp. 1					21, 29
<i>Pionosyllis ehlersiaeformis</i>					29
<i>Pista australis</i>					21, 29
<i>Pista violacea</i>					21, 29
<i>Platynereis</i> sp.					21, 29
<i>Polycirrus</i> sp. 1					29
<i>Polycirrus tessellatus</i>					21, 29
<i>Polynoidae</i> sp. 1					44
<i>Polydora</i> sp. 1					29
<i>Praxillella</i> sp.					29#
<i>Prionospio aucklandica</i>					29
<i>Prionospio multipinnulata</i>					21
<i>Prionospio</i> sp. 2					29
<i>Pseudopolydora</i> sp. 1					29
<i>Pseudopolydora</i> sp. 4					29
<i>Sabella spallanzanii</i> *	European Fan Worm				17, 18, 44
<i>Sabellid</i> sp. 1					21, 29
<i>Sabellid</i> sp. 3					21, 29
<i>Sabellid</i> sp. 4					29
<i>Sabellid</i> spp.	A Fan Worm				2, 3, 4, 7
<i>Scalibregma inflatum</i>					21, 29
<i>Schistomeringos loveni</i>					21, 29
<i>Schistomeringos</i> sp. 1					29
<i>Scolecopsis</i> sp. 1					29
<i>Scolecopsis</i> sp. 2					21
<i>Scoloplos normalis</i>					21
<i>Scoloplos simplex</i>					21, 29
<i>Scyphoproctus</i> sp. 1					21#, 29#
<i>Scyphoproctus</i> sp. 2					29
<i>Serpula</i> sp. 1	A Tube Worm				29
<i>Serpula</i> sp. 2	A Tube Worm				29
Serpulid worms					2, 7
<i>Serpulidae</i> sp. 1					44
<i>Sigalion</i> sp.					29
<i>Simplisetia aequisetis</i>	Squirt Worm				21
<i>Spio pacifica</i>					29

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Spionidae</i> sp. 2					29
<i>Spionidae</i> sp.					4
<i>Streblosoma</i> sp.					29
<i>Syllidae</i> sp. 1					44
<i>Syllidae</i> sp. 2					44
<i>Syllinae</i> sp. 2					29
<i>Syllinae</i> sp. 8					29
<i>Terebellides kowinka</i>					29#, 33
<i>Terebellides woolawa</i>					29#, 33
<i>Tharyx</i> sp. 2					29
<i>Thelepus extensus</i>					29
<i>Thelepus plagiostoma</i>					29#
<i>Trichobranchus bunnabus</i>					33
<i>Trichobranchus</i> sp.					21, 29
<i>Typosyllis</i> sp. 1					29
<i>Typosyllis</i> sp. 2					29
Other worms					
<i>Ancoratheca australiensis</i>	A Flatworm			ES	26
Sipunculan worms					21, 29
Unidentified Enteropneust	An Acorn Worm				29
Unidentified Hirudinian	A Leech				29
Unidentified Nemertean Worm	A Ribbon Worm				29
Unidentified Polyclad Worm	A Flatworm				22
<i>Phoronis albomaculata</i>				TA	5
<i>Phoronis psammophila</i>				TA	5
Pycnogonids (sea spiders)					
<i>Pseudopallene ambigua</i>					26#
Unidentified Pycnogonid					22, 29
Insects					
Unidentified insects					29
Barnacles					
<i>Smilium peronii</i>	A Stalked Barnacle				3
Unidentified Barnacles					2, 4, 7
Crustaceans					
<i>Accalathura bassi</i>	An Isopod				29
<i>Actaea calculosa</i>	Facetted Crab				4, 41
<i>Actaea peronii peronii</i>	Thorn-legged Crab				2

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Allorchestes compressus</i>					44
<i>Alpheus bidens</i>	Mottled Snapping Prawn				29
<i>Alpheus lottini</i>					41
<i>Alpheus novaezelandiae</i>	New Zealand Pistol Prawn				2
<i>Alpheus richardsoni</i>	A Pistol Prawn				29
<i>Alpheus</i> sp.	A Pistol Prawn				29
<i>Alpheus villosus</i>	Hairy Pistol Prawn				4, 41
<i>Amphipoda</i> sp. 1					44
<i>Amphipoda</i> sp. 2					44
<i>Amakusanthura olearia</i>	An Isopod				29
<i>Amaryllis spencerensis</i>	An Amphipod			ES	20
<i>Ampelisca toora</i>	An Amphipod				21, 29
<i>Ampithoidae</i> sp. 1	An Amphipod				29
<i>Apanthura isotoma</i>	An Isopod				29#
<i>Apseudes</i> sp. 1	A Tanaid				29
<i>Apseudes</i> sp. 2	A Tanaid				29
<i>Atylus</i> sp.	An Amphipod				29
<i>Austrodromidia australis</i>					41
<i>Austrodromidia octodentata</i>	Bristled sponge crab				41, 42
<i>Austrosquilla middletoni</i>	A Stromatopod				35
<i>Bellidilia laevis</i>	Pebble Crab				7, 42
<i>Belosquilla laevis</i>	Mantis Shrimp				22, 41
<i>Bemlos strigilis</i>	An Amphipod				29
<i>Brachynotus spinosus</i>	Little Shore Crab				20, 29
<i>Byblis bega</i>	An Amphipod				29#
<i>Calanus finmarchicus</i>	A planktonic Copepod				4
<i>Ceradocus dooliba</i>	An Amphipod				29
<i>Ceradocus ramsayi</i>	An Amphipod				29
<i>Ceradocus rubromaculatus</i>	An Amphipod				29
<i>Ceradocus serratus</i>	An Amphipod				29
<i>Cerapus abditus</i>	Tube Amphipod				4
<i>Ceratoplax glaberrima</i>	A Hairy Crab				29
<i>Chamaesipho tasmanica</i>	Honeycomb Barnacle				4
<i>Chlorotocella gracilis</i>	A Carid Prawn/Pandalid Shrimp				24
<i>Crabzyos longicaudatus</i>	An Isopod				29
<i>Cyclograpsus audouinii</i>	Smooth Shore Crab				4
<i>Cymadusa pemptos</i>					44
<i>Cymadusa</i> sp.	An Amphipod				21, 29

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Cymodoce</i> sp. 1					29
<i>Cymodoce</i> sp. 2	An Isopod				21, 29
<i>Cymodoce</i> sp.					44
<i>Dumea latipes</i>	Velvet Crab				42
<i>Ebalia intermedia</i>	Smooth Pebble Crab				29
<i>Ebalia</i> sp. A					29
<i>Erichthonius brasiliensis</i> *					44
<i>Erugosquilla grahami</i>					41
<i>Euidotea bakeri</i>	An Isopod				20, 29
<i>Euidotea peronii</i>	An Isopod				29
<i>Eusiridae</i> sp. 1	An Amphipod				29
<i>Eusiridae</i> sp. 2	An Amphipod				29, 44
<i>Eusiridae</i> sp. 3	An Amphipod				29
<i>Eusiridae</i> sp. 4	An Amphipod				29
<i>Galathea australiensis</i>	Striated Craylet				4
<i>Galathea</i> sp.	A Squat Lobster				2
<i>Gammarella beringar</i>	An Amphipod				29
<i>Gomeza bicornis</i>	Masked Burrowing Crab				29, 42
<i>Grapsidae</i> sp. 2	A Shore Crab				29
<i>Halicarcinus ovatus</i>	Three-Pronged Flat Spider Crab				23#, 29, 42
<i>Halicarcinus rostratus</i>	Flat-Beaked Spider Crab				29
<i>Halicarcinus</i> sp.	Tiny Flat Spider Crab				2, 23#
<i>Haliophasma</i> sp. 1	An Isopod				29
<i>Helograpsus haswellianus</i>	Haswell's Shore Crab/Mud Crab				5
<i>Hodometrica australis</i>	A Tanaidacean				21, 29
<i>Hodometrica australis</i>					4
<i>Huenia australis</i>	A spider crab				42
<i>Hyale niger</i>					44
<i>Hyale</i> sp.	An Amphipod				21, 29
<i>Hymenosomatidae</i> sp.					44
<i>Ibacus peronii</i>	Balmain Bug/Slipper Lobster				15, 41
<i>Ischyroceridae</i> sp. 1	An algal-tube dwelling amphipod				21, 29
Isopod in sandy tubes					2
Isopods					7, 44
<i>Jassa marmorata</i> *					44
<i>Kalliapseudes</i> sp.	A Tanaid				29
<i>Lamarckdromia globosa</i>	Fringed Sponge Crab				41, 42

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Leptanthura diemenensis</i>	An Isopod				29
<i>Leucothoe assimilis</i>	An Amphipod				29
<i>Leptomithrax gaimardii</i>					41
<i>Leucothoe commensalis</i>	An Amphipod				29#
<i>Leucothoe</i> sp. 1	An Amphipod				29
<i>Leucothoe</i> sp. 2	An Amphipod				29
<i>Limnoria</i> sp.	A Boring Isopod				29
<i>Litocheira bispinosa</i>	Two-Spined Slender-Clawed Crab				29, 30, 42
<i>Macrobrachium intermedium</i>	Striped Prawn				24, 29
<i>Macrophthalmus punctulatus*</i>	Smooth Sentinel Crab				43
<i>Maera mastersi</i>	An Amphipod				29
<i>Maera</i> sp.	An Amphipod				29
<i>Megabalanus tintinnabulum*</i>					44
<i>Melicertus latisulcatus</i>	Western King Prawn				4, 5, 9, 24, 27, 41, 42
<i>Melitidae</i> sp. 1	An Amphipod				29
<i>Melitidae</i> sp. 2	An Amphipod				29, 44
<i>Melitidae</i> sp. 4	An Amphipod				29
<i>Mesanthura stypandra</i>	An Isopod				29
<i>Metapenaeopsis crassissima</i>	Stout Velvet Prawn				22
<i>Metapenaeopsis lindae</i>	Strawberry Prawn				42
<i>Metapenaeopsis novaeguineae</i>	Northern Velvet Prawn				29
<i>Metapenaeopsis</i> sp					41
<i>Monocorophium sextonae*</i>					44
<i>Mysidacea indet.</i>					44
<i>Natanolana wowine</i>	An Isopod				29
<i>Naxia aries</i>					41
<i>Naxia aurita</i>	Smooth Seaweed Crab				4, 30, 42
<i>Nebaliidae</i> sp. 1	Leptostracan				29
<i>Nectocarcinus integrifrons</i>	Red Swimmer Crab				30, 41, 42
<i>Oedicerotidae</i> sp. 1	An Amphipod				29
<i>Ostracotheres subglobosus</i>	Swollen Pea Crab				23
<i>Ovalipes australiensis</i>	Sand Crab				23
<i>Ozium truncatus</i>	Reef Crab				4
Paeneid prawn					2
<i>Paguridae</i> sp. 1	A Hermit Crab				29
<i>Paguristes frontalis</i>	Common Hermit Crab				9, 23#, 41
<i>Palaemon intermedium</i>	A Carid Prawn				21

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Paradexamine lanacoura</i>	An Amphipod				29
<i>Paradexamine linga</i>	An Amphipod				29#
<i>Paradexamine moorehousei</i>	An Amphipod				29
<i>Parapontella brevicornis</i>	A Copepod				4
<i>Parasesarma erythodactyla*</i>	Red Fingered Marsh Crab				43, 44
<i>Paratanais ignotus</i>	A Tanaid				29
<i>Parelasmpus</i> sp.	An Amphipod				21#, 29#
<i>Phoxocephalidae</i> sp. 1	An Amphipod				29
<i>Pilumnus kingstoni</i>					44
<i>Pilumnus etheridgei</i>					44
<i>Pilumnus monilifer</i>	Beaded Hairy Crab				4
<i>Pilumnus tomentosus</i>	Common Hairy Crab				42
<i>Pilumnus</i> sp.	A Hairy Crab				22
<i>Pilumnidae</i> sp.					41
<i>Platynympha longicaudata</i>	An Isopod			UN	21, 24, 29
<i>Portunus armatus</i>	Blue Swimmer Crab		P		2, 3, 4, 5, 7, 9, 13, 15, 19, 22, 24, 27, 29, 31, 41, 42
<i>Protolembos drummondiae</i>	An Amphipod				21, 29
<i>Pseudopleonexes sheardi</i>	An Amphipod			ES	17
<i>Schizophrys rufescens</i>	Spider crab				42
<i>Schizophrys aspera</i>	Sponge Crab			TA	9
<i>Sphaeroma quoianum</i>	Burrowing Pill Bug				4
<i>Stimdromia lamellata</i>	Sponge crab				42
<i>Stimdromia lateralis</i>	Ridged sponge crab				42
<i>Talorchestia quadrimana</i>	Sand Hopper/An Amphipod				4
<i>Tanais dulongii</i>	A Tanaid				21, 29
<i>Tomituka doowi</i>	An Amphipod				29
<i>Trigonoplax longirostris</i>	Flat spider crab				42
<i>Tryphosella</i> sp.	An Amphipod				29
Unidentified hermit crab					2
<i>Waldeckia</i> sp. 1	An Amphipod				29
<i>Waldeckia</i> sp. 2	An Amphipod				29
<i>Waldeckia</i> sp. 3	An Amphipod				29
<i>Xenocheira fasciata</i>	An Amphipod				29
<i>Zalasius australis</i>	Long haired crab				42
Sea slugs					
<i>Armina</i> sp.					26

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Chromodoris epicuria</i>	White Rabbit				23
<i>Discodoris</i> sp.					26
<i>Dorididae</i> sp. 1					29
<i>Dorididae</i> sp. 2					29
<i>Dorididae</i> sp. 3					29
<i>Doriopsilla carneola</i>					2, 7, 9
<i>Gymnodoris arnoldi</i>					23#
<i>Hypselodoris saintvincentius</i>					2
<i>Neodoris chrysoderma</i>	A yellow Dorid nudibranch				23
<i>Paradoris dubia</i>					23#
<i>Philineopsis lineolata</i>	A striped sea slug				29#
<i>Rostanga</i> sp.					23
Unidentified nudibranch					22
Chitons					
<i>Ischnochiton cariosus</i>					2, 7, 41
<i>Ischnochiton lineolatus</i>					4
<i>Stenochiton pilsbra</i>					21#
<i>Stenochiton pilsbryanus</i>					29#
<i>Stenochiton longicymba</i>					21, 29
Unidentified chitons					4, 22, 29
Gastropods					
<i>Amblychilepas oblonga</i>	A Keyhole Limpet				29#
<i>Amblychilepas nigrita</i>	A Keyhole Limpet				29
<i>Amblychilepas</i> sp.	A Keyhole Limpet				29
<i>Amoria undulata</i>	Wavy Volute				41
<i>Anatrophon latior</i>	A small Trophine				38
<i>Astralium rutidoloma</i>	Granular Small Star/Star Shell			UN	21, 29
<i>Atys</i> sp.	A Bubble Shell				29
<i>Austrocochlea</i> sp.	A Periwinkle				4
<i>Bembicium</i> sp.					4
<i>Bembicium vittatum</i>	A Periwinkle				29
<i>Bittium</i> sp. 1	A Creeper				29
<i>Bittium</i> sp. 2	A Creeper				29
<i>Bullinidae</i> sp.	A Bubble Shell				22, 26#
<i>Calliostoma armillatum</i>	A Top Shell				41
<i>Calyptrea calyptraeformis</i>	A Slipper Limpet				29
<i>Cerithiidae</i> sp.	A Creeper				22

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Clanculus flagellatus</i>	Clanculus				41
<i>Cleidothaerus albidus</i>	Rock shell				41
<i>Cominella eburnea</i>	A Whelk				21, 22, 26, 29
<i>Cominella</i> sp.	A Whelk				29
<i>Conus anemone</i>	A Cone Shell				2, 29
<i>Crassispiraharpularia</i>	A Turret Shell				29
<i>Diala</i> sp.					29
<i>Dicathais orbita</i>	A Whelk				22, 26
<i>Diodora lincolnensis</i>	Limpet				41
<i>Dosinia histrio</i>	A Venus Cockle				29
<i>Dosinia victoriae</i>	Venus shell				41
<i>Emarginula</i> sp.	A Slit Limpet				29
<i>Eucrassatella kingicola</i>	Crassatella				41
<i>Eunaticina umbilicata</i>	A Sand Snail				29
<i>Fusinus australis</i>	Spindle Shell				2, 4, 29, 41
<i>Gazameda iredalei</i>	A Screw Shell				29
<i>Haliotis cyclobates</i>	An Abalone				13
<i>Haliotis scalaris</i>	An Abalone				2, 9
<i>Hipponix conicus</i>	Bonnet Limpet/A Horse Hoof Limpet				22, 26
<i>Hipponix conicus</i>	A Horse Hoof Limpet				29
<i>Lotiidae</i> sp.	A Limpet				29
<i>Maoricrypta immersa</i>	A Slipper Limpet				29
<i>Mitrella lincolnensis</i>	A Dove Shell				29#
<i>Muricidae</i> sp.	A Murex Shell				22
<i>Naccula punctata</i>	A Limpet				29
<i>Nassarius pauperatus</i>	A Whelk				4, 22, 26, 29
<i>Naticidae</i> sp.	A Sand Snail/Moon Snail				22
<i>Nerita</i> sp.					4
<i>Notoacmea flammea</i>	Flame Limpet/Flamed Limpet				4
<i>Notocypraea comptoni</i>	Compton's Cowrie				4
<i>Phasianella australis</i>	A Pheasant Shell				29
<i>Phasianotrochus apicinus</i>	A Top Shell				29#
<i>Phasianotrochus irisodontes</i>	A Top Shell				22, 25, 26
<i>Philine</i> sp.	A Snail				29
<i>Pleuroploca australasia</i>					13, 22, 26
<i>Polinices conicus</i>	A Sand Snail				26
<i>Primovula cruenta</i>	Egg Cowrie			ES	5

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Salinator</i> sp.	An air-breathing snail				29
<i>Sassia verrucosa</i>	Triton				41
<i>Serpulorbis siphon</i>	'Worm Shell' Gastropod				2, 4, 7
<i>Sinum zonale</i>	A Sand Snail/Moon Snail				29
<i>Stomatella impertusa</i>	False Ear Shell				4
<i>Stomatella</i> sp.	A Top Shell				29
<i>Tasmatica schoutanica</i>					44
<i>Thalotia conica</i>	A Top Shell				25
<i>Thalotia</i> sp.	A Top Shell				29
<i>Triphoridae</i> sp. 1	A Creeper				29
<i>Trochidae</i> sp.	A Top Shell				22
<i>Tugali cicatricosa</i>	Shield Limpet				41
Unidentified cowrie	Epizoic on red gorgonoid				22
<i>Zeacumantus diemenensis</i>	A Mud Creeper				21, 29
<i>Zoila friendii thersites</i>	Black Cowrie			UN	5, 22, 26
Bivalves					
<i>Austromytilus peneticus verco</i>					21
<i>Abra exigua</i>					22, 26
<i>Acrosterigma cygnorum</i>	A cockle				41
<i>Anodontia perplexa</i>	A cockle				21, 29
<i>Anomia trigonopsis</i>	Orange jingle shell				2, 8, 29
<i>Atrina tasmanica</i>	Appearance similar to small Razorfish				2, 3, 9, 29
<i>Atrina</i> sp.					29
<i>Barbatia pistachia</i>	Banded Ark/Noah's Ark Shell				29, 41
<i>Brachidontes erosa</i>					2#, 22#, 26#, 27#, 29#
<i>Brachidontes rostratus</i>	Rostrate Mussel, Beaked Mussel				7
<i>Brachidontes ustulatus</i>					44
<i>Chama ruderalis</i>					2, 7, 22, 26, 29
<i>Circe rivularis</i>	A wheel shell				2, 8, 22, 26, 29
<i>Corbula verconis</i>	A cockle				22, 26
<i>Dosinia histrio</i>	A venus cockle/surf clam				29
<i>Dosinia victoriae</i>					41
<i>Electroma georgiana</i>	Angel Wing				2, 3, 4, 22, 26, 29
<i>Electroma</i> sp.					29
<i>Equichlamys bifrons</i>	Queen Scallop				2, 4, 5, 13, 22, 23, 24, 26, 27, 29, 41

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Glycymeris radians</i>	A dog cockle				29
<i>Glycymeris grayana</i>	A dog cockle				29
<i>Glycymeris striatularis</i>	A dog cockle				41
<i>Glycymeris</i> sp.	A dog cockle (juvenile)				22
<i>Katelysia rhytiphora</i>	A cockle				21, 29
<i>Katelysia scalarina</i>	Sand Cockle				4, 22, 26
<i>Katelysia</i> sp.					4, 5, 7, 25, 29
<i>Laternula creccina</i>	A lantern clam				21, 29
<i>Lima lima vulgaris</i>	File Shell				2, 4, 22, 24, 26, 29, 41
<i>Limaria orientalis</i>					2, 7
<i>Limopsis tenisoni</i>	A dog cockle				29#
<i>Limopsis</i> sp.	A dog cockle				29
<i>Macomona deltoidalis</i>	Triangular Tellin				21, 29
<i>Maetra pura</i>	A clam				4
<i>Maetra</i> sp.	A clam				29
<i>Malleus malleus</i>					44
<i>Malleus meridianus</i>	Hammer Oyster				2, 3, 4, 5, 7, 8, 9, 13, 14, 22, 23, 24, 26, 27, 29, 41, 44
<i>Merisca margaritina</i>	A sunset shell				21, 29
<i>Mimachlamys asperima</i>	Doughboy Scallop/Sponge Scallop				4, 23, 41
<i>Modiolus albicostatus</i>	A mussel				29
<i>Modiolus areolatus</i>					44
<i>Musculus ulmus</i>	A mussel				21#, 29#
<i>Musculus nanus</i>	A mussel				29#
<i>Myadora complexa</i>					29
<i>Myrtea bractea</i>	A cockle				29#
<i>Mytilus</i> sp.	A mussel				4, 29
<i>Nuculana verconis</i>	A beaked cockle				21, 29
<i>Ostrea angasi</i>	Native Oyster				22, 26, 27, 41, 44
<i>Pandora patula</i>					29
<i>Pecten fumatus</i>	King Scallop/Commercial Scallop				2, 4, 5, 13, 23, 24#, 26, 41
<i>Pinctada albina sugillata*</i>	Pearl Oyster				7, 8, 44
<i>Pinctada fucata*</i>					44
<i>Pinna bicolor</i>	Razorfish				2, 3, 4, 5, 7, 9, 13, 14, 22, 23, 24, 25, 26, 27, 29, 41
<i>Placamen flindersi</i>	A venus cockle				4, 22, 26, 29

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Saccostrea</i> sp.	An oyster				29
<i>Semele monilis</i>					29
<i>Solemya australis</i>					29#
<i>Soletellina biradiata</i>	Butterfly Cockle				4
<i>Tellina</i> sp. 1					29
<i>Tellina</i> sp. 2					29, 44
<i>Teredo</i> sp.	A ship 'worm'				29
<i>Timoclea</i> sp.	A venus cockle				29
<i>Trichomya penetectus</i>	A mussel				22, 26, 29
<i>Tucetona broadfooti</i>	A heart cockle			UN	2
<i>Tucetona flabellata</i>	A dog cockle				22, 26
Unidentified bivalve					4
Unidentified bivalve sp. 2					29
Unidentified bivalve sp. 4					29
<i>Venericardia</i> sp.	A cockle				29
<i>Vulcella vulcella</i>					29
<i>Wallucina assimilis</i>	A cockle				21, 29
<i>Xenostrobus inconsta</i>					22, 26
Cephalopods					
<i>Euprymna tasmanica</i>	Southern Dumpling Squid				42
<i>Hapalochlaena maculosa</i>	Southern Blue-ringed Octopus				23
<i>Idiosepius notoides</i>	Southern Pygmy Squid				30
<i>Nototodarus gouldi</i>	Red Arrow Squid				41
<i>Octopus australis</i>					4, 41
<i>Octopus berrima</i>	Southern Keeled Octopus				41
<i>Sepia apama</i>	Australian Giant Cuttlefish				4, 5, 9, 19, 41, 42
<i>Sepia</i> sp.	A cuttlefish				15
<i>Sepia novaehollandae</i>	Nova Cuttlefish				41, 42
<i>Sepiadarium austrinum</i>	Southern Bottletail Squid				41
<i>Sepiadarium</i> sp.	Lace Bottletail Squid			UN	5
<i>Sepiola</i> sp.	Southern Bobtail Squid				42
<i>Sepioloidea lineolata</i>	Striped Dumpling Squid				22, 41, 42
<i>Sepioteuthis australis</i>	Southern Calamary				5, 19, 22, 27, 41, 42
Bryozoans					
<i>Lichenopora</i> sp.					26#
<i>Celleporaria fusca</i>					2#
<i>Adeona grisea</i>					41

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Amathia brongniartii</i>					26#
<i>Amathia</i> sp.					22
<i>Amathia</i> sp. 3					41
<i>Amathia tortuosa</i>					26
<i>Bugula dentata</i>					2
<i>Bugula nerita*</i>					44
<i>Bugula</i> sp.					5#, 11#, 26
<i>Bugularia dissimilis</i>					2
<i>Catenicella buskii</i>					2
<i>Cellaria</i> sp.					26
<i>Celleporaria cristata</i>					2, 3
<i>Celleporaria foliata</i>					2
<i>Celleporaria fusca</i>					4, 26
<i>Celleporaria</i> sp.					4, 7, 8
<i>Cigclisula verticalis</i>					2
<i>Cornucopina grandis</i>					2, 9
<i>Cornuticella cornuta</i>					26#
<i>Crisia</i> sp.					2
<i>Cryptopolyzoon concretum</i>					2
<i>Menipea roborata</i>					26
<i>Mesonea radians</i>					26
<i>Parmularia obliqua</i>	Stalked bryozoan				2, 3, 4, 11, 14#, 22, 26
<i>Petralia undata</i>	Fragile perforated Lace Bryozoan				2, 3, 4, 9
<i>Reteporella</i> sp.					22#
<i>Scruparia ambigua</i>					26
<i>Steginoporella chartacea</i>					41
<i>Triphyllozoon moniliferum</i>	A Lace Bryozoan				2
<i>Triphyllozoon</i> sp.	A Lace Bryozoan				4, 7, 8, 23#, 26, 27
<i>Triphyllozoon umbonatum</i>	A Lace Bryozoan				2
Sea stars					
<i>Anthaster valvulatus</i>	Brick-red Sea Star				2, 3, 9, 13, 22, 26
<i>Echinaster arcystatus</i>	Network Sea Star				23
<i>Goniodiscaster seriatus</i>					41
<i>Luidia australiae</i>	Seven-Armed Sea Star/Sand Star				3, 4, 13, 22, 23, 26
<i>Patiriella exigua</i>					22, 26, 29
<i>Tosia australis</i>	Biscuit Star				7, 13, 22, 23, 26, 29

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Amphioplus ochroleuca</i>					26
<i>Amphipholis squamata</i>					29
<i>Amphiura poecila</i>					26
<i>Amphiura</i> sp.					29#
<i>Amphiura trisacantha</i>				UN	5, 26, 29
<i>Amphiuraelandiformis</i>					29
<i>Amphiuraparviscutata</i>					21, 29
<i>Conocladus australis</i>					41
<i>Ophiocentrus pilosa</i>					4, 29
<i>Ophioconus opacum</i>					26, 29
<i>Ophionereis schayeri</i>					41
<i>Ophionereis semoni</i>					26
<i>Ophiothrix caespitosa</i>					41
<i>Ophiothrix spongicola</i>	Brittle star with flattened spine ends				2, 13, 22, 26
Unidentified brittle star					4
Feather stars					
<i>Antedon incommoda</i>					26
<i>Cenolia trichoptera</i>					2
<i>Ptilometra macronema</i>					41
Urchins					
<i>Amblypneustes</i> sp.					2#
<i>Goniocidaris tubaria</i>	Pencil Urchin				2, 3, 4, 5, 8, 9, 13, 14#, 22#, 23, 26, 29, 41
<i>Heliocidaris erythrogramma</i>	Purple Urchin				2, 4, 5, 9, 13, 27
<i>Microcyphus</i> sp.					22
<i>Temnopleurus michaelsoni</i>					13, 26, 29
<i>Australostichopus mollis</i>					2#, 3, 4, 9
<i>Cucumella mutans</i>					29
<i>Holothuria hartmeyer</i>					41
<i>Holothuria</i> sp.					29#
<i>Leptosynapta dolabrifera</i>					21, 29
<i>Neothyonidium</i> sp.	Burrowing Cucumber				2#
<i>Plesiocolochirus ignava</i>					29
<i>Scoliorhapis</i> sp.					21, 29
<i>Synaptidae</i> sp.					29#
<i>Thyone</i> sp.					29
<i>Trochodota shepherdii</i>				UN	5, 29

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Ascidia sydneiensis</i>					41
<i>Ascidia thompsoni</i>					7#, 8#, 26, 27
<i>Asciidiidae</i> sp. 1					21, 29
<i>Asciidiidae</i> sp. 2					29
<i>Asciidiidae</i> sp. 3					29
<i>Asciidiidae</i> sp. 4					29
<i>Asciidiidae</i> sp. 5					29
<i>Asciidiidae</i> sp. 6					29
<i>Botryllidae</i> sp.					26
<i>Botrylloides leachii</i>					22
<i>Botrylloides</i> sp.					2, 3, 23
<i>Botryllus stewartensis</i>					26
<i>Ciona</i> sp.					2#
<i>Clavelina cylindrica</i>					26
<i>Clavelina</i> sp.					22
<i>Cnemidocarpa radicata</i>					5, 13, 14, 22, 41
<i>Corella</i> sp.					22
<i>Didemnidae</i> sp. 1					8
<i>Didemnidae</i> sp. 2					7
<i>Didemnidae</i> sp. 3					7
<i>Didemnidae</i> sp. 4					7
<i>Didemnidae</i> sp. 5					7
<i>Didemnidae</i> sp. 6					26
<i>Didemnidae</i> sp. 7					29
<i>Didemnum augusti</i>					41
<i>Didemnum</i> sp.2					44
<i>Distaplia australiensis</i>					26
<i>Distaplia</i> sp.					22
<i>Eudistoma sabulosum</i>					41
<i>Halocynthia dumosa</i>					7, 13, 26, 41
<i>Herdmania momus</i>	Red-throat Ascidian				3, 9, 13, 22, 26, 41
<i>Herdmania</i> sp.	Sac Ascidian				2
<i>Hypsistozoa distomoides</i>	A colonial ascidian				26
<i>Microcosmus propinquus</i>					26
<i>Microcosmus</i> sp. 1					29
<i>Microcosmus squamiger</i>					26

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Mogula mollis</i>					26
<i>Oculinaria australis</i>					22#
<i>Phallusia obesa</i>	A large spotted ascidian				2, 3, 4, 7, 8, 9, 13, 27, 41
<i>Polycarpa clavata</i>					22
<i>Polycarpa papillata</i>					26
<i>Polycarpa pedunculata</i>					4, 5, 13, 14, 22, 24, 26, 27, 29#, 41
<i>Polycarpa tinctor</i>					26#
<i>Polycarpa viridis</i>					2, 3, 5, 9
<i>Pyura abrasdata</i>					41
<i>Pyura australis</i>	SeaTulip				26, 41
<i>Pyura gangelion</i>					26
<i>Pyura gibbosa</i>					41
<i>Pyura gibbosa draschii</i>	Stalked ascidian				2, 3, 9, 41
<i>Pyura irregularis</i>					22#, 26#
<i>Pyura molguloides</i>					41
<i>Pyura spinifera</i>					3
<i>Pyura stolonifera</i>	Cunjevoi/stalked ascidian				4#, 22#, 29#
<i>Pyura vittata</i>					26
<i>Ritterella</i> sp.	Sandy compound ascidian				2#, 3, 8, 9
<i>Stolonica australis</i>					9
<i>Sycozoa cerebriformis</i>					41
<i>Sycozoa pedunculata</i>					5, 26
<i>Sycozoa pulchra</i>	Stalked compound ascidian				7#, 8#, 14, 22
Unidentified compound ascidian					7
Unidentified solitary ascidian					4
Fish					
<i>Acanthaluteres spilomelanurus</i>	Bridled Leatherjacket				5, 12, 24, 30, 41, 42
<i>Acanthaluteres vittiger</i>	Toothbrush Leatherjacket				41
<i>Acanthopagrus butcheri</i>	Black Bream				5, 19, 27
<i>Acanthosphe</i> sp.	A velvetfish				42
<i>Acentronura australe</i>	Southern Pygmy Pipehorse	Ma	P		1#
<i>Aetapcus maculatus</i>	Warty Prowfish				22
<i>Aldrichetta forsteri</i>	Yellow-eye Mullet				5, 19
<i>Alopias vulpinus</i>	Thresher Shark				5
<i>Ammotretis elongatus</i>	Elongate Flounder				42

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Aptychotrema vincentiana</i>	Western Shovelnose Ray				15, 22, 41
<i>Aracana aurita</i>	Shaw's Cowfish				22, 23, 41, 42
<i>Aracana ornata</i>	Ornate Cowfish				23, 41
<i>Arenogobius bifrenatus</i>	Bridled goby				42
<i>Argyrosomus hololepidotus</i>	Mulloway				5, 12, 23
<i>Arripis georgianus</i>	Australian Herring/Tommy Rough				4, 5, 12, 13, 19, 23, 27, 39, 41
<i>Arripis truttacea</i>	Western Australian Salmon, Australian Salmon				4, 5, 19, 23, 27, 42
<i>Aseraggodes haackeanus</i>	Southern Sole				22
<i>Asymbolus vincenti</i>	Gulf Catshark				15, 22
<i>Atherinosoma microstoma</i>	Small-mouth Hardyhead				24
<i>Bathygobius kreffti</i>	Frayed-fin Goby			TA	5, 42
<i>Blenniidae</i> spp.	Blennies				23
<i>Brachaluteres jacksonianus</i>	Southern Pygmy Leatherjacket				2, 9, 12, 23, 39, 41, 42
<i>Callogobius mucosus</i>	Sculptured Goby				29, 42
<i>Callorhynchus milii</i>	Elephant Fish/Elephant Shark				5, 15, 22
<i>Campichthys galei</i>	Gales Pipefish	Ma	P		5
<i>Carcharhinus brachyurus</i>	Bronze Whaler				5, 19, 22
<i>Carcharodon carcharias</i>	Great White Shark	V, Mi	P		1#, 4, 5
<i>Cheilodactylus nigripes</i>	Magpie Perch				2, 4, 5, 12, 23, 25
<i>Cheliodactylus rubrolabiatus</i>	Red-lipped Morwong				4, 5
<i>Chelmonops curiosus</i>	Western Talma				2, 4, 12, 23, 26, 41
<i>Chrysophrys auratus</i>	Pink Snapper/Snapper				4, 5, 9, 12, 15, 19, 22, 23, 26, 27, 31, 41, 42
<i>Cnidoglanis macrocephalus</i>	Estuary Catfish				41, 42
<i>Contusus richiei</i>	Barred Toadfish				42
<i>Contusus brevicaudatus</i>	Prickly Toadfish				30, 41
<i>Coryphaena hippurus</i>	Dolphin Fish				4, 5
<i>Cristiceps australis</i>	Southern Crested Weedfish				13, 22, 41, 42
<i>Cynoglossus broadhursti</i>	Southern Tongue Sole				41, 42
<i>Dactylophora nigricans</i>	Dusky Morwong				4, 5, 12, 23, 31, 39
<i>Dasyatis brevicaudata</i>	Smooth Stingray				4, 5, 15, 22, 39, 41
<i>Dasyatis thetidis</i>	Black Stingray				41
<i>Dermatopsis multiradiatus</i>	Slender Blindfish				42

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Dipturus cerva</i>	White-spotted Skate				15
<i>Dipturus</i> sp. M	Pygmy Thornback Skate				15#
<i>Dipturus whitleyi</i>	Melbourne Skate				15, 41
<i>Echinophryne crassispina</i>	Prickly Anglerfish				22
<i>Engraulis australis</i>	Australian Anchovy				4, 5, 41, 42
<i>Enoplosus armatus</i>	Old Wife				23, 31
<i>Eocallionymus papilio</i>	Painted Stinkfish				42
<i>Eubalichthys gunnii</i>	Gunn's Leatherjacket				4, 12, 23
<i>Eubalichthys mosaicus</i>	Mosaic Leatherjacket				4, 5, 12, 23, 41
Family Pleuronectidae and Family Bothidae	Flounders				4, 5, 19
<i>Favonigobius lateralis</i>	Southern Longfin Goby				21, 29, 30, 42
<i>Filicampus tigris</i>	Tiger Pipefish	Ma	P	TA	1#, 4, 5, 41, 42
<i>Foetorepus calauropomus</i>	Common Stinkfish				4, 5, 12, 41
<i>Furgaleus macki</i>	Whiskery Shark				4, 5
<i>Galeorhinus galeus</i>	School Shark				4, 5, 19, 22
<i>Genypterus tigerinus</i>	Rock Ling				19#, 41
<i>Girella zebra</i>	Zebrafish				4, 5, 13
<i>Glyptauchen panduratus</i>	Goblin Fish				22, 41, 42
Gobiidae spp.	Gobies				23, 24
<i>Gonorynchus greyi</i>	Beaked Salmon				22, 41
<i>Gymnapistes marmoratus</i>	Soldierfish				4, 5, 21, 22, 24, 29, 30, 41, 42
<i>Heraldia nocturna</i>	Upside-down Pipefish	Ma	P		1#
<i>Heteroclinus adalaidae</i>	Adelaide Weedfish				42
<i>Heteroclinus heptaeolus</i>	Seven-bar Weedfish				32
<i>Heteroclinus macrophthalmus</i>	Large-eyed Weedfish				42
<i>Heteroclinus</i> sp.	A Weedfish				29, 42
<i>Heteroclinus</i> sp. 5	Few-ray Weedfish				32, 42
<i>Heterodontus portusjacksoni</i>	Port Jackson Shark				4, 15, 22, 23, 39, 41, 42
<i>Hippocampus bleekeri</i>	Southern Pot-bellied Seahorse	Ma	P		4, 41, 42
<i>Hippocampus breviceps</i>	Short-head Seahorse, Short-snouted Seahorse	Ma	P		1#, 42
<i>Histiogamphelus cristatus</i>	Rhino Pipefish, Macleay's Crested Pipefish	Ma	P		1#, 42
<i>Hyperlophus vittatus</i>					41
<i>Hypnos monopterygium</i>	Coffin Ray/Numbfish				23, 41, 42
<i>Hypoplectrodes nigroruber</i>	Black-banded Sea Perch				22
<i>Hyporhamphus melanochir</i>	South Australian Garfish				3, 4, 5, 19, 23, 27, 41, 42

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Kanekonia queenslandica</i>	Deep Velvetfish				41, 42
<i>Kathetostoma laeve</i>	Eastern Stargazer				41
<i>Katsuwonus pelamis</i>	Skipjack Tuna/Striped Tuna				5
<i>Kaupus costatus</i>	Deep-bodied Pipefish	Ma	P		1#, 5
<i>Kyphosus sydneyanus</i>	Silver Drummer				4, 5, 12, 13, 23
<i>Lepidotrigla papilio</i>	Spiny Gurnard				5, 12, 41, 42
<i>Lepidotrigla vanessa</i>	Butterfly Gurnard				22
<i>Leptoichthys fistularius</i>	Brushtail Pipefish	Ma	P		1#, 41, 42
<i>Leviprora inops</i>	Longhead Flathead				41, 42
<i>Lissocampus caudalis</i>	Australian Smooth Pipefish	Ma	P		1#
<i>Lissocampus runa</i>	Javelin Pipefish	Ma	P		1#
<i>Lophonectes gallus</i>	Crested Flounder				41
<i>Maroubra perserrata</i>	Sawtooth Pipefish	Ma	P		1#
<i>Maxillicosta scabriceps</i>	Little Gurnard Perch				41, 42
<i>Meuschenia freycineti</i>	Six-spine Leatherjacket				5, 12, 19#, 39, 41
<i>Meuschenia galii</i>	Blue-lined Leatherjacket				23
<i>Meuschenia hippocrepsis</i>	Horseshoe Leatherjacket				23
<i>Meuschenia scaber</i>	Velvet Leatherjacket				5, 12, 13
<i>Mustelus antarcticus</i>	Gummy Shark				4, 5, 15, 19, 22
<i>Myliobatis australis</i>	Eagle Ray				4, 5, 15, 19#, 22, 23, 41
<i>Neoplocactis tridorsalis</i>	Threefin Velvet Fish				42
<i>Neoodax balteatus</i>	Little Weed Whiting				9, 30, 39, 42
<i>Neoplatycephalus richardsoni</i>	Tiger Flathead				41
<i>Neosebastes bougainvillii</i>	Gulf Gurnard Perch				22, 41
<i>Neosebastes pandus</i>	Bighead Gurnard Perch				23
<i>Nesogobius pulchellus</i>	Sailfin Goby				42
<i>Nesogobius</i> sp.	A goby				42
<i>Nesogobius</i> sp. 2	Threadfin Sandgoby				42
<i>Notiocampus ruber</i>	Red Pipefish	Ma	P		1#
<i>Notolabrus tetricus</i>	Blue-throated Wrasse				5#
<i>Omegophora armilla</i>	Ringed Toadfish				41
<i>Ophiclinops pardalis</i>	Spotted Snake Blenny			UN	32, 42
<i>Ophiclinops</i> sp.	A snake blenny				42
<i>Ophiclinops varius</i>	Variegated Snake Blenny				29
<i>Ophiclinus antarcticus</i>	Dusky Snake Blenny				42
<i>Ophiclinus</i> sp	A snake blenny				42
<i>Orectolobus halei</i>	Large Ornate Wobbegong				22, 23, 26
<i>Parablennius tasmanianus</i>	Tasmanian Blenny				4

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Parapercis haackei</i>	Wavy Grubfish				4, 5, 7, 12, 22, 23, 26, 31, 39, 41, 42
<i>Parapercis ramsayi</i>	Spotted Grubfish				2, 41
<i>Parapercis</i> spp.	Grubfish				2, 9
<i>Parapriacanthus elongatus</i>	Slender Bullseye				41, 42
<i>Parequula melbournensis</i>	Silverbelly				5, 12, 23, 26, 41, 42
<i>Pegasus lancifer</i>	Sculptured Seamothe				41
<i>Pelates octolineatus</i>	Western Striped Grunter/Striped Trumpeter				12, 19, 22, 23#, 24, 26, 30, 41, 42
<i>Pempheris klunzingeri</i>	Rough Bullseye				41
<i>Pempheris multiradiata</i>	Common Bullseye				5, 12, 31
<i>Pentaceroopsis recurvirostris</i>	Long-snouted Boarfish				2, 5, 9, 12, 22, 23, 26, 31
<i>Peronedys anguillaris</i>	Eel Blenny				42
<i>Phycodurus eques</i>	Leafy Seadragon	Ma	P		1#, 41
<i>Phyllopteryx taeniolatus</i>	Weedy Seadragon, Common Seadragon	Ma	P		1#, 41
<i>Pictilabrus laticlavus</i>	Senator Wrasse				5#
<i>Platycephalus bassensis</i>	Southern Sand Flathead				5#, 12, 22, 30, 42
<i>Platycephalus laevigatus</i>	Rock Flathead/Black Flathead/Grass Flathead				12, 42
<i>Platycephalus speculator</i>	Southern Blue-spotted Flathead				22, 41, 42
<i>Platycephalus</i> spp.	Flathead Species				5, 15, 19, 27, 29#
<i>Polyspina piosae</i>	Orange-barred Pufferfish				5, 41
<i>Pristiophorus cirratus</i>	Common Saw Shark				4
<i>Pristiophorus nudipinnis</i>	Southern Saw Shark				15
<i>Pseudaphritis urvillii</i>	Congolli				36
<i>Pseudocaranx dentex</i>	Silver Trevally/Trevally				5, 9, 12, 19, 22, 23#, 26
<i>Pseudocaranx wrightii</i>	Skipjack Trevally/Silver Trevally/Sand Trevally				15, 41, 42
<i>Pseudogobius olorum</i>	Bluespot Goby				29, 30, 42
<i>Pseudorhombus arsius</i>	Largetooth Flounder				5#, 12
<i>Pseudorhombus jenynsii</i>	Smalltooth Flathead				41, 42
<i>Pseudorhombus jenynsii</i>	Smalltooth Flounder				22, 26
<i>Pugnaso curtirostris</i>	Pug-nosed Pipefish	Ma	P		1#, 42
<i>Repomucenus calcaratus</i>	Spotted Dragonet/Spotted Stinkfish				22, 41, 42
<i>Rhycherus filamentosus</i>	Tasselled Anglerfish				41
<i>Rhycherus gloveri</i>	Glovers Anglerfish				42
<i>Sardinops neopilchardus</i>	Australian Pilchard				41
<i>Scobinichthys granulatus</i>	Rough Leatherjacket				9, 12, 30, 41, 42

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Scorpius georgianus</i>	Banded Sweep				4, 12, 23
<i>Seriola lalandi</i>	Yellowtail Kingfish				4, 5, 12, 19, 23
Sharks and rays					
<i>Sillaginodes punctata</i>	King George Whiting				5, 12, 19, 22, 23#, 27, 31, 41, 42
<i>Sillago bassensis</i>	Southern School Whiting				22, 41
<i>Sillago schomburgkii</i>	Yellowfin Whiting				4, 5, 19, 23#, 27
<i>Siphamia cephalotes</i>	Wood's Siphonfish				9, 24, 30, 39, 42
<i>Siphonognathus attenuatus</i>	Slender Weed Whiting				41, 42
<i>Siphonognathus radiatus</i>	Long-rayed Weed Whiting				24, 30, 41, 42
<i>Solegnathus robustus</i>	Robust Pipehorse, Robust Spiny Pipehorse	Ma	P		1#
<i>Sphyrna novaehollandiae</i>	Snook				4, 5, 19, 22, 27, 41, 42
<i>Sphyrna zygaena</i>	Smooth Hammerhead				4, 5, 15, 22, 23
<i>Spratelloides robustus</i>	Blue Sprat				16, 22, 42
<i>Squalus megalops</i>	Piked Spurdog				15
<i>Squatina australis</i>	Australian Angelshark				15, 22, 41
<i>Stigmatopora argus</i>	Spotted Pipefish	Ma	P		1#, 24, 41, 42
<i>Stigmatopora narinosa</i>	Gulf Pipefish				42
<i>Stigmatopora nigra</i>	Wide-bodied Pipefish, Black Pipefish	Ma	P		1#, 42
<i>Stipecampus cristatus</i>	Ring-backed Pipefish	Ma	P		1#
<i>Sutorectus tentaculatus</i>	Cobbler Wobbegong				15, 39, 41, 42
<i>Taratretis derwentensis</i>	Derwent Flounder				41
<i>Tasmanogobius gloveri</i>	A goby				42
<i>Tetractenos glaber</i>	Smooth Toadfish				5, 22, 41
<i>Thamnaconus degeni</i>	Degen's Leatherjacket/Bluefin Leatherjacket				15, 41, 42
<i>Thyrsites atun</i>	Barracouta				41
<i>Thysanophrys cirronasa</i>	Tasselsnout Flathead				41
<i>Tilodon sexfasciatus</i>	Moonlighter				2, 4, 5, 12, 23
<i>Torquigener pleurogramma</i>	Weeping Toadfish/Weeping Toado				5, 42
<i>Trachichthys australis</i>	Roughy				5, 26
<i>Trachurus declivis</i>	Common Jack Mackerel				22, 41
<i>Trachurus novaezelandiae</i>	Yellow-tail Scad				5, 12
<i>Trygonorrhina dumerilii</i>	Southern Fiddler Ray				5, 15, 19#, 22, 23, 26, 41
Unidentified pipefish					24
<i>Upeneichthys vlamingii</i>	Blue-spotted Goatfish/Red Mullet				5, 12, 19, 22, 23, 31, 41, 42

Table H1.1: Species recorded or likely to occur in Upper Spencer Gulf (cont'd)

Species name (*denotes introduced species)	Descriptive or common name	Status		Other conservation significance	Source (# denotes uncertain record)
		AUS	SA		
<i>Urolophus orarius</i>	Coastal Stingaree				5#, 15
<i>Urolophus paucimaculatus</i>	Sparsely-spotted Stingaree				15, 41
<i>Vanacampus margaritifer</i>	Mother-of-pearl Pipefish	Ma	P		1#
<i>Vanacampus phillipi</i>	Port Phillip Pipefish	Ma	P		1#, 29#, 42
<i>Vanacampus poecilolaemus</i>	Long-snouted Pipefish	Ma	P		1#, 5, 29#
<i>Vanacampus vercoi</i>	Verco's Pipefish	Ma	P		1#, 42
<i>Vincentia badia</i>	Scarlet Cardinalfish				5, 41, 42
<i>Vincentia conspersa</i>	Southern Cardinalfish				4#, 5, 9, 22, 23, 24#, 30, 39, 41, 42
<i>Zebrias scalaris</i>	Many-band Sole				41
Mammals					
<i>Arctocephalus forsteri</i>	New Zealand Fur Seal	Ma	P		1#
<i>Arctocephalus pusillus</i>	Australian Fur Seal, Australo-African Fur Seal	Ma	R, P		1#
<i>Balaenoptera edeni</i>	Bryde's Whale	W, Mi	P		1#, 5, 40
<i>Caperea marginata</i>	Pygmy Right Whale	W, Mi	R, P		1#
<i>Delphinus delphis</i>	Common Dolphin	W	P		1#, 5, 40
<i>Eubalaena australis</i>	Southern Right Whale	E, W, Mi	V, P		1#, 5
<i>Kogia breviceps</i>	Pygmy Sperm Whale		R, P		5, 40
<i>Lagenorhynchus obscurus</i>	Dusky Dolphin	W, Mi	R, P		1#
<i>Megaptera novaeangliae</i>	Humpback Whale	V, W, Mi	V, P		1#
<i>Mesoplodon layardii</i>	Strap-toothed Whale		R, P		5#
<i>Neophoca cinerea</i>	Australian Sea-lion	V	V, P		1#, 5
<i>Tursiops aduncus</i>	Indo-Pacific Bottlenose Dolphin	W	P		1#, 40
<i>Tursiops truncatus</i>	Common Bottlenose Dolphin	W	P		1#, 4, 5
Reptiles					
<i>Caretta caretta</i>	Loggerhead Turtle	E	E		5
<i>Chelonia mydas</i>	Green Turtle	V	V		5
<i>Dermochelys coriacea</i>	Leatherback Turtle	V	V		34
<i>Eretmochelys imbricata</i>	Hawksbill Turtle	V			5

Table H1.2: Sources of information about species presence

Source Identifier	Description/Reference	Area covered by report (USG = Upper Spencer Gulf) (see Figure O4.1)
1	Protected Matters database (DEWHA 2008)	All of USG
2	Point Lowly Survey (Appendix O1)	Point Lowly/Port Bonython
3	Whyalla surveys, 2004 (unpublished SEA data)	Whyalla
4	SEA 1981	Point Lowly / Port Bonython
5	Baker 2004	All of USG
6	Seabirds report (Appendix O3)	All of USG
7	Landing facility, Site 1 survey (refer Appendix O1 of the Draft EIS)	10 km south of Port Augusta
8	Landing facility, Site 3 survey	20 km south of Port Augusta
9	Port Bonython Jetty surveys (unpublished BHP Billiton data)	Point Lowly / Port Bonython
10	COSEMA database (Cheshire et al. 2000; Turner 2000)	All of USG
11	Shepherd 1983a	Two Hummock Point
12	Branden et al. 1994	Whyalla, Port Pirie and Blanche Harbor
13	Shepherd 1974	Crag Point
14	Shepherd and Branden 1974	Red Cliff Point
15	Dixon et al. 2005 and Svane et al. 2007	South of Point Lowly
16	Rogers et al. 2003	Whyalla, Ward Spit, Fitzgerald Bay, Chinaman Creek
17	Just 2002	Yatala Harbor
18	Reef Watch 2007a, confirmed by Brook, J, pers. observation, October 2007	Dive locations in USG
19	SARDI commercial fishing data	All of USG
20	Lowry and Stoddart 2002	Point Lowly
21	Ward and Hutchings 1996	Port Pirie
22	Shepherd 1973	Douglas Bank to Blanche Harbor/Red Cliff Point
23	Healy and Reynolds 1992	All of USG
24	Ward et al. 1986	Port Pirie
25	Kinhill Stearns 1986	Whyalla
26	Shepherd 1983b	Douglas Bank to Blanche Harbor/Red Cliff Point
27	McLaren and Wiltshire 1984	All of USG
28	Seddon et al. 2000	Port Pirie
29	Hutchings et al. 1993	Port Pirie
30	McDonald 2008	False Bay
31	Reef Watch 2007b	Point Lowly/Port Bonython
32	Baker 2008	All of USG
33	Hutchings and Peart 2000	Crag Point, Backy Point, Point Lowly/Port Bonython, Ward Spit, False Bay, Whyalla, Port Pirie.
34	Limpus (in press)	All of USG
35	Ahyong 2001	All of USG
36	Favier et al. 2004	Port Pirie

Table H1.2: Sources of information about species presence (cont'd)

Source Identifier	Description/Reference	Area covered by report (USG = Upper Spencer Gulf) (see Figure O4.1)
37	Identifications of samples taken by BHP Billiton marine biology consultants in Upper Spencer Gulf (see Appendix H9.2 of the Supplementary EIS)	Point Lowly
38	CHAFC 2008	All of USG
39	Brook, J, pers. observation, June 2008, during cuttlefish population surveys (described in Appendix O5.5)	Point Lowly, Backy Point
40	Department for Environment and Heritage Biological Database of South Australia (BDSA) extracted 1 August 2008	All of USG
41	Currie et al. 2009; Sorokin and Currie 2009	South of 33 degrees (Point Lowly)
42	Saunders 2009	Whyalla north to Douglas Point, and Ward Spit
43	Port Augusta Transcontinental 2010	Port Augusta
44	Dittman et al. 2010	Whyalla, Point Lowly, Fitzgerald Bay

REFERENCES

- Ahyong, ST 2001, 'Revision of the Australian Stomatopod Crustacea', *Records of the Australian Museum*, Suppl. 26, pp. 1–326.
- Baker, JL 2004, *Towards a System of Ecologically Representative Marine Protected Areas in South Australian Marine Bioregions – Technical Report*, report for Coast and Marine Conservation Branch, Department for Environment and Heritage, Adelaide.
- Baker, JL 2008, *Marine Species of Conservation Concern in South Australia: Volume 1 - Bony and Cartilaginous Fishes*, report for the South Australian Working Group for Marine Species of Conservation Concern, Adelaide (J Baker, consultant), web version published by Reef Watch, Conservation Council of South Australia, Adelaide, viewed 26 March 2008, <<http://www.reefwatch.asn.au/pages/bin/view/Publications/SamsccBonyFamilies>>.
- Branden, K, Pollard, D & Reimers, H 1994, 'A review of recent artificial reef developments in Australia', *Bulletin of Marine Science*, vol. 55, pp. 982–994.
- Cheshire, AC, Collings, GJ, Edyvane, KS & Westphalen, G 2000, *Overview of the Conservation Status of Australian Marine Macroalgae: A Report to Environment Australia*, Department of Environmental Biology, University of Adelaide.
- Council of Heads of Australian Faunal Collections (CHAFC) 2008, *Online Zoological Collections of Australian Museums*, viewed 21 July 2008, <<http://www.ozcam.gov.au/index.php>>
- Currie DR Dixon CD Roberts SD Hooper GE Sorokin SJ Ward TM 2009, Fishery independent by-catch survey to inform risk assessment of the Spencer Gulf Prawn Trawl Fishery. Report to PIRSA Fisheries. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Department of the Environment, Water, Heritage and the Arts 2008, *Protected Matters Search Tool*, Department of the Environment and Water Resources), Canberra, viewed 5 August 2008, <<http://www.environment.gov.au/erin/ert/epbc/index.html>>.
- Dixon, C, Svane, I & Ward, T 2005, *Monitoring and Assessment of By-Catch and By-Product in the Spencer Gulf Prawn Trawl Fishery*, South Australian Research and Development Institute (SARDI) Aquatic Sciences, SARDI Research report no. 102, SARDI, Adelaide.
- Dittman, S, Cameron, S, and Conlon, K 2010, Increasing knowledge on introduced species in the marine environments of the Eyre Peninsula. Report to the Eyre Peninsula Natural Resources Management Board.
- Favier, D, Scholz, G, VanLaarhoven, J, Bradley, J & Phipps, L 2004, *A River Management Plan for the Broughton Catchment*, Report DWLBC 2004/16, Department of Water, Land and Biodiversity Conservation, Adelaide.
- Healy, I & Reynolds, S 1992, 'Sightings in Upper Spencer Gulf', *Marine Life Society of South Australia Journal*, no. 3, pp. 15–20.
- Hutchings, PA & Peart, R 2000, A revision of the Australian Trichobranchidae (Polychaeta), *Invertebrate Taxonomy* 14, vol. 2, pp. 225–272.
- Hutchings, PA, Ward, TJ, Waterhouse, JH & Walker, L 1993, 'Infauna of marine sediments and seagrass beds of Upper Spencer Gulf near Port Pirie, South Australia', *Transactions of the Royal Society of South Australia*, vol. 117, pp. 1–14.
- Just, J 2002, 'Review of *Pseudopleonexes* Conlan, 1982, with a new species from Australia (Crustacea: Amphipoda: Ampithoidae)', *Records of the Australian Museum*, vol. 54, pp. 31–40.

- Kinhill Stearns Pty Ltd 1986, *Whyalla Boat Harbour Development – Draft Environmental Impact Statement*, report to Corporation of the City of Whyalla, SA.
- Limpus, CL (in press), 'A biological review of Australian marine turtles vi. Leatherback turtle, *Dermochelys coriacea* (Vandelli)', Environmental Protection Agency, Brisbane.
- Lowry, JK & Stoddart, HE 2002, 'The Amaryllididae of Australia (Crustacea: Amphipoda: Lysianassoidea)', *Records of the Australian Museum*, vol. 54, pp. 129–214.
- McDonald, B 2008, 'The influence of seagrass habitat architecture and integrity on associated faunal assemblages', PhD thesis, School of Biological Sciences, Faculty of Science and Engineering, Flinders University, Adelaide.
- McLaren, NE & Wiltshire, DJ 1984, *Northern Spencer Gulf Marine Biological Study*, Report to Department of Environment and Planning, Adelaide, in assoc. with Social and Ecological Assessment Pty Ltd, Adelaide.
- Port Augusta Transcontinental 2010, Port Augusta's aliens first in SA. Panetta, R p. 9
- Reef Watch 2007a, *Feral or In Peril, Sightings database*, Conservation Council of South Australia, viewed October 2007, <<http://www.reefwatch.asn.au/cgi-bin/database/fpview.pl>>.
- Reef Watch 2007b, *Fish Data Summaries*, Conservation Council of South Australia, viewed 21 July 2008, <http://www.reefwatch.asn.au/cgi-bin/database/fish_summary.pl?fish_by_site_report>.
- Rogers, PJ, Geddes, M & Ward, TM 2003, 'Blue sprat *Spratelloides robustus* (Clupeidae: Dussumieriinae): a temperate clupeoid with a tropical life history strategy?', *Marine Biology*, vol. 142, pp. 809–824.
- Saunders RJ 2009, The reproductive biology and recruitment dynamics of snapper *Chrysophrys auratus*. PhD thesis, University of Adelaide.
- Seddon, S, Connolly, RM & Edyvane, KS 2000, 'Large-scale seagrass dieback in northern Spencer Gulf, South Australia', *Aquatic Botany*, vol. 66, no. 4, pp. 297–310.
- Shepherd, SA & Branden, K 1974, 'Spencer Gulf environmental survey by underwater sled', *Australian Fisheries*, vol. 33, no. 2, pp. 1–4.
- Shepherd, SA 1973, 'A preliminary report upon the marine environment and fisheries of Upper Spencer Gulf, 30th September 1973', report to Petrochemical Consortium of South Australia, Adelaide, unpub.
- Shepherd, SA 1974, *An Underwater Survey Near Crag Point in Upper Spencer Gulf*, Technical report no. 1, South Australian Department of Fisheries, Adelaide.
- Shepherd, SA 1983a, 'The epifauna of megaripples: species' adaptations and population responses to disturbance', *Australian Journal of Ecology*, vol. 8, pp. 3–8.
- Shepherd, SA 1983b, 'Benthic communities of upper Spencer Gulf, South Australia', *Transactions of the Royal Society of South Australia*, vol. 107, pp. 69–85.
- Social and Ecological Assessment Pty Ltd 1981, *Draft Environmental Impact Statement for Port and Terminal Facilities at Stony Point, South Australia*, SEA, report for Santos Limited, Adelaide.
- Sorokin, S.J. and Currie, D.R. (2009) The distribution and diversity of sponges in Spencer Gulf. Report to Nature Foundation SA Inc. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Svane, I, Rodda, K & Thomas, P (eds) 2007, *Prawn fishery by-catch and discards: marine ecosystem analysis – population effects*, South Australian Research and Development Institute (SARDI) Aquatic Sciences, SARDI Publication no. RD03-0132, Report no.199.404p, SARDI, Adelaide.
- Turner, D 2000, *Conservation Status of Endangered Marine Algae (COSEMA)*, Online Database of Rare and Endangered Australian Macroalgae, Conservation Council of South Australia, viewed 21 July 2008, <<http://www.reefwatch.asn.au/cosema>>.
- Ward, TJ & Hutchings, PA 1996, 'Effects of trace metals on infaunal species composition in polluted intertidal and subtidal marine sediments near a lead smelter, Spencer Gulf, South Australia', *Marine Ecology Progress Series*, vol. 135, pp. 123–135.
- Ward, TJ, Correll, RL & Anderson, RB 1986, 'Distribution of cadmium, lead and zinc amongst the marine sediments, seagrasses and fauna, and the selection of sentinel accumulators, near a lead smelter in South Australia', *Australian Journal of Marine and Freshwater Research*, vol. 37, pp. 567–585.