PART E: REFERENCES AND APPENDICES



References and Appendices

This Page Has Been Intentionally Left Blank

15 REFERENCES

- Allan G. and Southgate R. 2002. Fire regimes in the spinifex landscapes of Australia in Bradstock A., Williams R. and Gill M. (eds), Flammable Australia: The fire regimes and biodiversity of a continent. Cambridge University Press, Cambridge, United Kingdom.
- Allen, G R, Midgley, SH and Allen, M 2002, *Field guide to the freshwater fishes of Australia*, Western Australia Museum, Perth.
- ANZECC/MCA 2000. Strategic framework for mine closure. Australian and New Zealand Conservation Council (ANZECC) and Minerals Council of Australia (MCA), Australia.
- API 2012. West Pilbara Iron Ore stage 2 Hardey proposal supporting information. API Management Pty Ltd, Perth, Western Australia
- API 2015. West Pilbara iron ore project stage 1 Extension. Matters of National Environmental Significance environmental review, draft for public comment. Report prepared by API Management Pty Ltd, Perth, Western Australia.
- Aplin K.P. 1998. Three new blindsnakes (Squamata, Typhlopidae) from north western Australia. Records of the Western Museum, vol. 19, pp. 1–12.
- Armstrong K. 2001. The distribution and roost habitat of the orange leaf-nosed bat, Rhinonicteris aurantius, in the Pilbara region of Western Australia. *Wildlife Research*, vol. 28, pp. 95–104.
- Armstrong N.K. and Anstee D.S. 2000. The ghost bat in the Pilbara: 100 years on. Australian Mammalogy. vol.22 pp. 83-101
- Australian Museum 2015. Scorpions. Viewed 8 November 2015. Accessed at http://australianmuseum.net.au/scorpions. Australian Museum, Sydney, NSW.
- Bastin G. and ACRIS Management Committee 2008. Rangelands 2008 taking the pulse, national land and water resources audit, Canberra, ACT.
- Beard J. 1975. Vegetation survey of Western Australia: Pilbara, map and explanatory memoir 1:1,000,000 series, University of Western Australia Press, Perth, Western Australia.
- Begg R. 1981. 'The small mammals of Little Nourlangie Rock, N.T. Ecology of Dasyurus hallucatus, the northern quoll (Marsupialia : Dasyuridae)', Australian Wildlife Research, vol. 8, pp. 73-85.
- Bennelongia 2011a. Cloudbreak Project expansion: troglofauna assessment, Report 2011/116. Report prepared by Bennelongia, Jolimont, Western Australia.
- Bennelongia 2011b. Pilbara Iron Ore Project: Blacksmith subterranean fauna surveys, Report 2011/137. Report prepared by Bennelongia, Jolimont, Western Australia.
- Bennelongia 2015. Strategic environmental assessment: Description of regional subterranean fauna. Report prepared for BHP Billiton Iron Ore by Bennelogia,, Jolimont, Western Australia.
- BHP Billiton 2014. Environment GLD. BHP Billiton, Melbourne, Victoria.
- BHP Billiton 2015. Community GLD, Melbourne, Victoria.
- BHP Billiton Iron Ore 2010. Orebody 24/25 Upgrade Project Acid and Metalliferous Drainage Risk Report. BHP Billiton Iron Ore, Perth, Western Australia.
- BHP Billiton Iron Ore 2011. Northern quoll overview. Presentation delivered by BHP Billiton Iron Ore, Perth, Western Australia.
- BHP Billiton Iron Ore 2012. A strategic environmental assessment for future Pilbara mining operations: Section 38 referral to the Western Australian Environmental Protection Authority. BHP Billiton Iron Ore, Perth, Western Australia.

- BHP Billiton Iron Ore 2013. Pilbara expansion strategic proposal environmental scoping document. Report prepared by BHP Billiton Iron Ore, Perth, Western Australia.
- BHP Billiton Iron Ore 2014a. BHP Billiton Iron Ore Pilbara Annual Environmental Review, BHP Billiton Iron Ore, Perth, Western Australia.
- BHP Billiton Iron Ore 2014b. BHP Billiton Western Australia Iron Ore Business Level Document Closure Planning, BHP Billiton Iron Ore, Perth, Western Australia.
- BHP Billiton Iron Ore 2015a. Draft eastern Pilbara water resource management plan. BHP Billiton Iron Ore, Perth, Western Australia.
- BHP Billiton Iron Ore 2015b. Eastern Ridge Revised Proposal Environmental Referral Document. Report prepared by BHP Billiton Iron Ore, Western Australia, Perth for submission to the Environmental Protection Authority.
- BHP Billiton Iron Ore 2016a. Approach to flora and fauna impact assessment and location of conservation significant species for the strategic proposal. BHP Billiton Iron Ore, Perth, Western Australia.
- BHP Billiton Iron Ore 2016b. Draft MNES Program. BHP Billiton Iron Ore, Perth, Western Australia.
- BHP Billiton Iron Ore 2016c. Draft IAR. BHP Billiton Iron Ore, Perth, Western Australia.
- Biologic 2010. Mooka Siding, Level 1 / targeted fauna survey. Report prepared for FAST JV by Biologic Environmental Survey (Biologic), North Perth, Western Australia.
- Biologic 2011a. Southern Flank fauna study. Report prepared for BHP Billiton Iron Ore by Biologic Environmental Survey (Biologic). North Perth, Western Australia.
- Biologic 2011b. Area C and surrounds fauna survey. Report prepared for BHP Billiton Iron Ore by Biologic Environmental Survey (Biologic). North Perth, Western Australia.
- Biologic 2013. Central Pilbara ghost bat population and roost assessment. Report prepared for BHP Billiton Iron Ore by Biologic Environmental Survey (Biologic). North Perth, Western Australia.
- Biologic 2014. Consolidation of regional fauna habitat mapping: BHP Billiton Iron Ore Pilbara tenure. Report prepared for BHP Billiton Iron Ore by Biologic Environmental Survey (Biologic), North Perth, Western Australia.
- Biologic 2015. Pilbara SRE habitat consolidation project. Report prepared for BHP Billiton Iron Ore by Biologic Environmental Survey (Biologic), North Perth, Western Australia.
- Biologic and Bat Call WA 2014. Pilbara regional ghost bat review. Report prepared for BHP Billiton Iron Ore by Biologic Environmental Survey (Biologic) and Bat Call WA, North Perth, Western Australia.
- Biota 2014. Area C West to Yandi Level 2 Vertebrate Fauna Survey. Unpublished report prepared for BHP Billiton Iron Ore, Perth, Western Australia.
- Boles, W. E. 1999. Avian prey of the Australian Ghost Bat Macroderma gigas (Microchiroptera: Megadermatidae): prey characteristics and damage from predation. Australian Zoologist 31, 82-91.
- BoM 2014. Climate statistics for Australian locations: Monthly climate statistics. Viewed 17 September 2014. Accessed at http://www.bom.gov.au/climate/averages/tables/cw_007176.shtml. Commonwealth Bureau of Meteorology (BoM), Canberra, ACT.
- Braimbridge M., Antao M. and Loomes R. 2010. Groundwater dependent ecosystems for Millstream: ecological values and issues. Environmental water report series report no. 13. Report prepared for the Western Australian Department of Water, Perth, Western Australia.
- Burbidge, N.T. (1959). Notes on Plants and Plant Habitats Observed in the Abydos-Woodstock Area, Pilbara District, Western Australia. CSIRO Division of Plant Industry. Technical Paper No. 12. CSIRO: Melbourne.
- Burbidge A. and McKenzie N. 1989. Patterns in the modern decline of Western Australia's vertebrate fauna: Causes and conservation implications. *Biological Conservation*, vol. 50, pp.143–198.
- Burbidge A.A., McKenzie N.L. and Fuller P.J. 2008. Long-tailed Dunnart Sminthopsis longicaudata Spencer 1909 (pp –). In: Van Dyke, S. and Strahan, R. (eds), The mammals of Australia, 3rd edn Reed New Holland: Sydney, NSW.

- Burbidge A., Johnstone R. and Pearson D. 2010. Birds in a vast arid upland: avian biogeographical patterns in the Pilbara region of Western Australia, Records of the Western Australian Museum, Supplement vol. 78. pp.247–270,
- Bush B. and Maryan B. 2011. Field guide to snakes of the Pilbara, Western Australia. Western Australian Museum, Perth, Western Australia.
- Butler R. 2009. Vulnerability of plant functional types to dust deposition in the Pilbara, NW Australia. Bachelor of Science (Environmental Science) (Honours). The University of Western Australia, Nedlands, Western Australia.
- CALM 2003. Bioregional study of the 2002 biodiversity audit for Western Australia. Report prepared by the Western Australian Department of Conservation and Land Management (CALM), Kensington, Western Australia.
- Car C.A. and Harvey M.S. 2013. A review of the Western Australian keeled millipede genus Boreohesperus (Diplopoda: Polydesmida: Paradoxosomatidae). *Zookeys*, vol. 290, pp. 1–19.
- Carwardine J., Nicol S., van Leeuwen S., Walters B., Firn J., Reeson A., Martin T. and Chadès I. 2014. Priority threat management for Pilbara species of conservation significance. Report prepared by the CSIRO, Brisbane, Queensland.
- Charles S., Fu G., Silberstein R., Mpelasoka F., McFarlane D., Hodgson G., Teng J., Gabrovsek C., Ali R., Barron O., Aryal S., Dawes W., van Niel T. and Chiew F. 2013. Interim report on the hydroclimate of the Pilbara past, present and future: A report to the West Australian Government and industry partners from the CSIRO Pilbara Water Resource Assessment, CSIRO Water for a Healthy Country, Australia.
- Churchill S. 2008. Australian bats, no. 2. Reed New Holland, Sydney, New South Wales.
- Cowan P. and Kendrick P. 2001. Little Sandy Desert 2 (LSD2 Trainor subregion) in A Biodiversity Audit of Western Australia's 53 Biogeographical Subregions in 2002. Department of Conservation and Land Management, Perth, Western Australia.
- Creese S. 2012. The use of rail culverts to facilitate the movement of fauna, unpublished thesis
- Crews S.C. and Gillespie R.G. 2010. Molecular systematics of Selenops spiders (Araneae: Selenopidae) from North and Central America: implications for Caribbean biogeography. Biological Journal of the Linnean Society 101:288-322
- DAFWA 2012. Native vegetation current extent spatial dataset. Online spatial dataset produced by the Department of Agriculture and Food Western Australia, Perth, Western Australia.
- Davis R. and Metcalf B.M. 2008. The night parrot (Pezoporus occidentalis) in northern Western Australia: a recent sighting from the Pilbara region. *Emu*, vol. 108, pp. 233–236.
- DEC 2007. Definitions, categories and criteria for Threatened and Priority Ecological Communities. Report prepared by the Western Australian Department of Environment and Conservation (DEC), Kensington, Western Australia.
- DCC 2008. The National Greenhouse and Energy Reporting Regulations.
- DCCEE 2009. The National Greenhouse and Energy Reporting (Audit) Determination 2009.
- DCCEE 2014. State and territory greenhouse gas inventory for 2011-2012. Viewed August 2015. Accessed at: http://www.environment.gov.au/system/files/resources/255447ab-3c51-412e-9756-921ef23cb8aa/files/stateterritory-inventories-11-12.pdf. Department of Climate Change and Energy (DCCEE), Canberra, ACT.
- Department of Planning 2009. Regional profile: Pilbara framework. Western Australian Planning Commission, Perth, Western Australia.
- Desmond, A, Kendrick, P, and Chant, A 2001, Gascoyne 3 (GAS3 Augustus subregion) in 'A Biodiversity Audit of Western Australia's 53 Biogeographical Subregions in 2002', viewed 7 July 2015, http://www.dpaw.wa.gov.au/images/documents/about/science/projects/waaudit/gascoyne03_p240-251.pdf.
- DIA 2010. What is a reserve?. Viewed: 11 March 2013. Accessed at: www.dia.wa.gov.au/en/Land/Land-Facts/04-What-is-a-Reserve/. Western Australian Department of Indigenous Affairs, Perth, Western Australia.

- Dickman C.R. 2006. Species interactions: indirect effects. Ecology: an Australian Perspective. Editors P Attiwill and B Wilson. Pp 303-316. Oxford University Press: Melbourne.
- DME 1999. Guidelines on the safe design and operating standards for tailings storage. Report prepared by the Western Australian Department of Minerals and Energy (DME, now DMP), Perth, Western Australia.
- DMP 2001. Environmental note on mining: waste rock dumps (updated 2009). Western Australian Department of Mines and Petroleume (DMP), Perth, Western Australia.
- DMP 2006. Environmental note on mining: acid mine drainage (updated 2009). Western Australian Department of Mines and Petroleum (DMP), Perth, Western Australia.
- DMP 2014. Western Australian mineral and petroleum statistical digest (2014-2015). Report prepared by the Western Australian Department of Mines and Petroleum (DMP), Perth, Western Australia.
- DMP and EPA 2015. Guidelines for preparing mine closure plans. Report jointly prepared by the Western Australian Department of Mines and Petroleum (DMP) and Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- DoE 2006. Air Quality Modelling Guidance Notes. Prepared by Department of Environment (DoE), Perth, Western Australia.
- DoEHP 1997. Acid mine drainage in Australia: its extent and potential liability. Commonwealth Department of Environment and Heritage Protection (DoEHP), Canberra, ACT.
- DotE 2008, Approved Conservation Advice for Liasis olivaceus barroni (Olive Python Pilbara subspecies). Approved Conservation Advice prepared by Department of the Environment (DotE), Canberra, ACT.
- DotE 2014a. Species profile and threats database greater bilby. Viewed: 16 March 2014. Accessed at: http://www.environment.gov.au/cgi-bin/sprat/public/sprat.pl. Commonwealth Department of the Environment (DotE). Canberra, ACT.
- DotE 2014b. Species profile and threats database olive python (Pilbara subspecies).Prepared by the Commonwealth Department of the Environment (DotE). Canberra, ACT. Viewed: 16 March 2014. Accessed at: http://www.environment.gov.au/cgi-bin/sprat/public/sprat.pl.
- DotE 2014c. Species profile and threats database Pilbara leaf-nosed bat. Viewed: 16 March 2014. Accessed at: http://www.environment.gov.au/cgi-bin/sprat/public/sprat.pl. Commonwealth Department of the Environment (DotE). Canberra, ACT.
- DotE 2014d. DotE 2014c. Species profile and threats database Northern Quoll. Viewed: 16 March 2014. Accessed at: http://www.environment.gov.au/cgi-bin/sprat/public/sprat.pl. Commonwealth Department of the Environment (DotE). Canberra, ACT.
- DotE 2015a. Australia's 15 national biodiversity hotspots. Viewed: 2 December 2015. Accessed at: https://www.environment.gov.au/biodiversity/conservation/hotspots/national-biodiversity-hotspots. Commonwealth Department of the Environment (DotE), Canberra, ACT.
- DotE 2015b. Finalised priority assessment lists. Prepared by the Commonwealth Department of the Environment (DotE). Canberra, ACT. Viewed 23 October 2015. Available at: Doughty, P, Rolfe, J, Burbidge, A, Pearson, D and Kendrick, P 2011, 'Herpetological assemblages of the Pilbara biogeographic region, Western Australia: ecological associations, biogeographic patterns and conservation', Records of the Western Australian Museum- Supplement 78, pp. 315–341, viewed 10 June 2014, http://museum.wa.gov.au/sites/default/files/WAM_Supp78(B)_DOUGHTYetal.pdf.
- DotE 2016a. EPBC Act referral guideline for the endangered northern quoll Dasyurus hallucatus EPBC Act Policy Statement. Prepared by the Department of the Environment (DotE), Canberra, ACT
- DotE 2016b. Rhinonicteris aurantia (Pilbara form) in Species Profile and Threats Database, Department of the Environment, Canberra. Available from: http://www.environment.gov.au/sprat. Accessed Fri, 19 February 2016.
- Doughty, P., and Oliver, P.M. 2011, A new species of Underwoodisaurus (Squadaptive managementta: Gekkota: Carphodactylidae) from the Pilbara region of Western Australia. Zootaxa 3010: 20–30.

- Doughty P., Rolfe J., Burbidge A., Pearson D. and Kendrick P. 2011. Herpetological assemblages of the Pilbara biogeographic region, Western Australia: ecological associations, biogeographic patterns and conservation. Records of the Western Australian Museum, Supplement vol.78, pp. 315–341.
- DoW 2010. Pilbara regional water plan 2010-2030. Report prepared by the Western Australian Department of Water, Perth, Western Australia.
- DoW 2013a. Pilbara groundwater allocation plan, water resource allocation and planning report series Report No. 55. Report prepared by the Western Australian Department of Water (DoW), Perth, Western Australia.
- DPaW 2013. Ecology and management of the northern quoll *Dasyurus hallucatus* in the Pilbara, Department of Parks and Wildlife, Perth.
- DPaW 2014. Pilbara region biological survey 2007 2013. Report prepared by the Western Australian Department of Parks and Wildlife, Kensington, Western Australia.
- DPaW 2015b. Naturemap. Viewed: 10 February 2015. Accessed at: http://naturemap.dpaw.wa.gov.au/default.aspx. Western Australian Department of Parks and Wildlife (DPaW), Kensington, Western Australia.
- DPaW 2016. Naturemap. Viewed: 19 February 2016. Accessed at: http://naturemap.dpaw.wa.gov.au/default.aspx. Western Australian Department of Parks and Wildlife (DPaW), Kensington, Western Australia.
- DRD 2015. Pilbara, a region in profile 2014. Report prepared by the Western Australian Department of Regional Development (DRD), Perth, Western Australia.
- DSD 2010. Port Hedland Air Quality and Noise Management Plan. Department of State Development, Government of Western Australia.
- DSEWPaC 2012a. Interim biogeographic regionalisation of Australia, Version 7. Report prepared by the Commonwealth Department of Sustainability, Environment, Water, Population and Communities (DSEWPaC), now the Department of the Environment (DotE), Canberra, ACT.
- DSEWPaC 2012b. Environment Protection and Biodiversity Conservation Act 1999 Environmental Offsets Policy. Commonwealth Department of Sustainability, Environment, Water, Population and Communities (DSEWPaC), now the Department of the Environment (DotE), Canberra, ACT.
- Dunlop M., Hilbert D., Ferrier S., House A., Liedloff A., Prober S., Smyth A., Martine T., Harwood T., Williams K., Fletcher C. and Murphy H. 2012. The implications of climate change for biodiversity conservation and the national reserve system: Final synthesis. A report prepared for the DSEWPaC and the Department of Climate Change and Energy Efficiency. CSIRO Climate Adaptation Flagship, Canberra, ACT.
- Earth Systems 2014a. Preliminary acid and metalliferous drainage risk assessment for the OB31 Deposit, report prepared for BHP Billiton by Earth Systems, West Perth, Western Australia.
- Earth Systems 2014b, Preliminary Acid and Metalliferous Drainage Risk Assessment for the OB31 Deposit. Unpublished report prepared for BHP Billiton Iron Ore, Perth, Western Australia.
- Earth Systems 2015. Preliminary Acid and Metalliferous Drainage Risk Assessment for the OB 17/18 Mine Site. Unpublished report prepared for BHP Billiton Iron Ore, Perth, Western Australia
- Eberhard S.M., Halse S.A., Williams M.R., Scanlon M.D., Cocking J.S. and Barron H.J. 2009. Exploring the relationship between sampling efficiency and short range endemism for groundwater fauna in the Pilbara region, Western Australia. *Freshwater Biology*, vol. 54, pp. 885–901.
- Eco Logical 2014. BHP Billiton Iron Ore proposal: Cumulative impact assessment, species synopsis Pilbara leaf-nosed bat. Unpublished report prepared for BHP Billiton Iron Ore by Eco Logical Australia (Eco Logical), Perth, Western Australia.
- Ecologia Environment (Ecologia) 2006. Hashimoto terrestrial fauna survey. Unpublished report prepared for BHP Billiton Iron Ore, Western Australia, Perth.
- Ecologia Environment (Ecologia) 2008. RGP5 Level 2 Fauna Survey Chichester Deviation. Unpublished report prepared for BHP Billiton Iron Ore, Perth, Western Australia.

- Ecologia Environment (Ecologia) 2010. RGP5 Fauna Survey: Northern Quoll Wider Area Survey. Unpublished report prepared for BHP Billiton Iron Ore, EHP 2013. Galilee Basin Offsets Strategy. Department of Environment and Heritage Protection, Brisbane, Queensland.
- Elith J, Kearney M, Phillips S. 2010. The art of modelling range-shifting species. Methods Ecol Evol 1: 330– 342.
- Environ 2004. Public Environmental Review. Pilbara Iron and Infrastructure Project: Stage A Port and North-South Railway. Prepared for Fortescue Metals Group Limited, Perth, Western Australia
- Environment Australia 2001. A directory of important wetlands in Australia, 3rd ed. Commonwealth of Australia, Canberra, ACT.
- EPA 2004a. Guidance statement no 51: Terrestrial flora and vegetation surveys for environmental impact assessment in Western Australia. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA 2004b. Guidance statement no. 56: Terrestrial fauna surveys for environmental impact assessment in Western Australia. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA 2004c. Position statement no. 4: Environmental protection of wetlands. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA 2006a. Fire management in the Kimberley and other rangeland regions of Western Australia. Viewed: 6 May 2015. Accessed at: http://www.epa.wa.gov.au/epadoclib/FireReview/FireReview_Apps.pdf. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA 2009. Guidance statement no. 20: Sampling of short range endemic fauna for environmental impact assessment in Western Australia. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA 2012a. A review of subterranean fauna assessment in Western Australia. Report prepared by the Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA 2012b. Environmental protection bulletin No. 17: Strategic and Derived Proposals. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA 2013. Environmental assessment guideline 12: Consideration of subterranean fauna in environmental impact assessment in WA. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA 2014a. Cumulative environmental impacts of development in the Pilbara region. Advice of the Environmental Protection Authority to the Minister for Environment under Section 16(e) of the Environmental Protection Act 1986. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA 2014b. Environmental protection bulletin no. 1: Environmental offsets. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA 2015a. Environmental assessment guideline (EAG) 8: Environmental assessment guideline for environmental principles, factors and objectives. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA 2015b. Environmental assessment guideline (EAG) 9: Environmental assessment guideline for application of a significance framework in the environmental impact assessment process. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA 2015c. Environmental protection bulletin no. 19: EPA involvement in mine closure. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA 2015d. Environmental protection bulletin no.23. Guidance on the EPA landforms factor. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA 2015e. Environmental protection bulletin no. 24: Greenhouse gas emissions and consideration of projected climate change impacts in the EIA process. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.

- EPA and DEC 2010. Technical Guide Terrestrial Vertebrate Fauna Surveys for Environmental Impact Assessment. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- EPA and DPaW 2015. Technical Guide Flora and Vegetation Surveys for Environmental Impact Assessment. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- ERM 2012. Jimblebar Hub: Preliminary Assessment of Acid and Metalliferous Drainage Risk for the Development of the South Jimblebar, Hashimoto, and Wheelarra Hill Deposits, Pilbara, WA. Unpublished report prepared for BHP Billiton Iron Ore, Western Australia, Perth.
- FMG 2012. IO DSO supporting documentation 100-RP-EN-9575_Rev 0. Viewed: June 2015. Accessed at: http://www.epa.wa.gov.au/EIA/referralofProp-schemes/Lists/Proposal/Attachments/151/Pages%20from% 20Project%20IO%20Referral%20and%20Supporting%20Information.pdf. Fortescue Metals Group Ltd (FMG), Perth, Western Australia.
- Fontaine B., Bouchet P. and Van Achterberg K. 2007. The European Union's 2010 target: putting rare species in focus. *Biological Conservation*, vol. 139, pp. 167–185.
- Ford, F. and Johnson, C. 2007. Eroding abodes and vanished bridges: historical biogeography of the substrate specialist pebble-mound mice (Pseudomys). Journal of Biogeography 34: 514-523. FMG 2005. Night parrot (*Pezoporus occidentalis*) management plan. Report prepared by Fortescue Metal Group Ltd (FMG), Perth, Western Australia.
- Freudenberger D., Hodgkinson K. and Noble J. 1997. Causes and consequences of landscape dysfunction in rangelands (pp. 63–77). In: Ludwig, J., Tongway, D., Freudenberger, D., Noble, J. and Hodgkinson, K. (eds), Landscape ecology, function and management: principles from Australian rangelands. CSIRO: Melbourne, Australia.
- Gajowiec B. 1993. Impact of lead/zinc ore mining on groundwater quality in Trzebionika mine (southern Poland). *Mine Water and the Environment*, vol. 12, pp. 1–10.
- Garnett S. and Crowley G. 2000. The action plan for Australian birds 2000. Commonwealth Department of the Environment, Canberra, ACT.
- GHD 2014. Preliminary Risk Assessment for Acid and Metalliferous Drainage for the Yandi Operations. Unpublished report prepared for BHP Billiton Iron Ore, Western Australia, Perth
- Gibert J. and Deharveng L. 2002. Subterranean ecosystems: a truncated functional biodiversity. *BioScience*, vol. 52, pp. 473–481.
- Gibson L. and McKenzie N. 2009. Environmental associations of small ground-dwelling mammals in the Pilbara region, Western Australia. Records of the Western Australian Museum, Supplement vol. 78, pp. 91–122.
- Gibson LA, Williams KJ, Pinder AM, Harwood T, McKenzie NL, Ferrier S et al. [Lyons MN, Burbidge AH] (2015). Compositional patterns in terrestrial fauna and wetland flora and fauna across the Pilbara biogeographic region of Western Australia and the representativeness of its conservation reserve system. Records of the Western Australian Museum, Supplement 78, pp. 515–545.
- Golder Associates 2014, Ecohydrological Conceptualisation of the Marillana Creek Region, Unpublished report prepared for BHP Billiton Iron Ore.
- Government of Western Australia 2011. WA environmental offsets policy. Viewed: 2014. Accessed at: http://www.epa.wa.gov.au/EPADocLib/WA%20Environmental%20Offsets%20Guideline%20August% 202014.pdf. Western Australian Environmental Protection Authority (EPA), Perth, Western Australia.
- Government of Western Australia 2013. 2013 statewide vegetation statistics incorporating the CAR reserve analysis (full report). Current as of June 2013. Western Australian Department of Parks and Wildlife (DPAW), Kensington, Western Australia.
- Government of Western Australia 2014. WA environmental offsets guidelines. Report prepared by the Government of Western Australia, Perth, Western Australia.
- Graeme Campbell and Associates 2005. Christmas Creek deposit. Geochemical characterisation of minewaste samples. Implications for mine-waste management. Report prepared for Fortescue Metals Group by Graeme Campbell and Associates, Perth, Western Australia

- Halse S. 2015. Subterranean biodiversity in the Pilbara provides difficulties for environmental assessment. In Abstracts of the Invertebrate Biodiversity and Conservation Conference, Fremantle, 6-9 December 2015. Society of Australian Systematic Biologists and Western Australian Museum, Perth, p.12.
- Halse S.A. and Pearson G.B. 2014. Troglofauna in the vadose zone: comparison of scraping and trapping results and sampling adequacy. *Journal of Subterranean Biology*, vol. 13, pp. 17–34.
- Halse S.A., Scanlon M.D. and Cocking J.S. 2002. Do springs provide a window to the groundwater fauna of the Australian arid zone. In, Balancing the Groundwater Budget: Proceedings of an International Groundwater Conference, Darwin.
- Halse S.A., Scanlon M.D., Cocking J.S., Barron H.J., Richardson J.B. and Eberhard S.M. 2014. Pilbara stygofauna: deep groundwater of an arid landscape contains globally significant radiation of biodiversity. Records of the Western Australian Museum, Supplement vol. 78, pp. 443–483.
- Harms D. and Framenau V.W. 2013. New species of mouse spiders (Araneae: Mygalomorphae: Actinopodidae: Missulena) from the Pilbara region, Western Australia. *Zootaxa 3637*, vol. 5, pp. 521-540.
- Harvey, M. 1998. A review of the Australasian species of Anapistula Gertsch (Araneae: Symphytognathidae). Records the Western Australian Museum 19: 111-120.
- Harvey M. 2002. Short-range endemism among the Australian fauna: some examples from non-marine environments. Invertebrate Systematics, vol. 16, pp. 555-570.
- Harvey M.S. and Yen A.L. 1989. Worms to wasps: an illustrated guide to Australia's terrestrial invertebrates. Oxford University Press, Melbourne
- Heritage Council of WA 2015. inHerit database. Viewed: 30 July 2015. Accessed at: http://inherit.stateheritage.wa.gov.au/Public/. Heritage Council of Western Australia, State Heritage Office, Perth, Western Australia.
- Hill B. and Ward S. 2010. National recovery plan for the northern quoll Dasyurus hallucatus. Viewed: 10 June 2014. Accessed at: http://www.environment.gov.au/system/files/resources/8744fe3f-3a94-431f-906c-975719d42f4f/files/northern-quoll.pdf.
- ICMM 2008. Planning for integrated mine closure: Toolkit. International Council on Mining and Metals, London, United Kingdom.
- INAP 2010. Global acid rock drainage guide. Report prepared by the International Network for Acid Prevention (INAP), Salt Lake City, Utah.
- IPCC 2014. Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Core Writing Team, R.K. Pachauri and L.A. Meyer (eds.)]. IPCC, Geneva, Switzerland.
- IUCN 2015. The IUCN Red List of Threatened Species. Version 2015-4. <www.iucnredlist.org>. Accessed 15 December 2015.
- Johnson S.L. 2004. Geology and hydrogeology in Van Veeswyk A.M.E., Payne A.L., Leighton K.A. and Hennig P. (eds). An inventory and condition survey of the Pilbara region, Western Australia. Department of Agriculture, Western Australia, Technical Bulletin, vol. 92, pp. 39–51.
- Johnson M.S., Hamilton Z.R., Murphy C.E., MacLeay C.A., Roberts B. and Kendrick P.G. 2004. Evolutionary genetics of island and mainland species of Rhagada (Gastropoda: Pulmonata) in the Pilbara region, Western Australia. *Australian Journal of Zoology*, vol. 52, pp. 341–355.
- Johnson, SL & Wright, AH 2001, Central Pilbara Groundwater Study, Water and Rivers Commission, Hydrogeological Record Series. Report HG 8. 102 p. November 2001.
- KCB 2014. Mining Area C Preliminary AMD Risk Assessment. Unpublished report prepared by Klohn Crippen Berger BHP Billiton Iron Ore, Western Australia, Perth
- Kearney, M, Phillips, BL, Tracy, CR, Christian, KA, Betts, G & Porter, WP 2008. 'Modelling species distributions without using species distributions: the cane toad in Australia under current and future climates', Ecography, vol. 31, pp. 423–434.
- Keighery 1994. Bushland plant survey: a guide to plan community survey for the community. Wildflower Society of WA (Inc.), Nedlands, Western Australia.

- Keighery G. 2010. The naturalised vascular plants of the Pilbara region, Western Australia. Records of the Western Australian Museum, Supplement vol.78, pp. 299–311.
- Kendrick P. 2001a. Gascoyne 1 (GAS1 Ashburton subregion) in A Biodiversity Audit of Western Australia's 53 Biogeographical Subregions in 2002. Department of Conservation and Land Management, Perth, Western Australia.
- Kendrick P. 2001b. Pilbara 2 (PIL2- Fortescue Plains subregion) in A Biodiversity Audit of Western Australia's 53 Biogeographical Subregions in 2002. Department of Conservation and Land Management, Perth, Western Australia.
- Kendrick P. 2001c. Pilbara 3 (PIL3- Hamersley subregion) in A Biodiversity Audit of Western Australia's 53 Biogeographical Subregions in 2002. Department of Conservation and Land Management, Perth, Western Australia.
- Kendrick P. and McKenzie N. 2001. Pilbara 1 (PIL1 Chichester subregion) in A Biodiversity Audit of Western Australia's 53 Biogeographical Subregions in 2002. Department of Conservation and Land Management, Perth, Western Australia.
- Kendrick P. and Stanley F. 2001. Pilbara 4 (PIL4 Roebourne synopsis), in Department of Conservation and Land Management (ed), A Biodiversity Audit of Western Australia's 53 Biogeographical Subregions in 2002. Department of Conservation and Land Management, Perth, Western Australia.
- King, D 1989, 'An assessment of the hazard posed to northern quolls (Dasyurus hallucatus) by aerial baiting with 1080 to control dingos', Australian Wildlife Research 16: 569-574.
- Lamoreux J. 2004. Stygobites are more wide-ranging than troglobites. *Journal of Cave and Karst Studies*, vol. 66, pp.18–19.
- Landloch 2013, Design of Erosionally Stable Final OSA Batter Slopes, Orebody 25. Report Prepared for BHP Billiton Iron Ore, Western Australia, Perth
- Lee D. 2015. Iron country: unlocking the Pilbara. A public policy analysis produced for the Minerals Council of Australia, Canberra, ACT.
- Loechel B., Hodgkinson J. and Moffat K. 2011. Pilbara regional mining climate change adaptation workshop report on workshop outcomes: CSIRO Report EP118134. CSIRO, Australia.
- Loomes R. 2010. Determining water level ranges of Pilbara riparian species. Environmental water report series report no. 17. Report prepared for the Western Australian Department of Water, Perth, Western Australia.
- Main, B. Y. 1982. Adaptations to arid habitats by mygalomorph spiders in Barker, W. R., and Greenslade, P. J. M., eds. Evolution of the Flora and Fauna of Arid Australia. Peacock Publications.
- Main B.Y. 1996. Microcosmic biogeography: trapdoor spiders in a time warp at Durokoppin. Chapter 13 in Hopper, S.D., Chappill, J.A., Harvey, M.S. and George. A.S. (eds),Gondwanan heritage: past, present and future of the Western Australian biota. Surrey Beatty & Sons, Chipping Norton, New South Wales.
- Main, B. Y. 1999. Biological anachronisms among trapdoor spiders reflect Australia's environmental changes since the Mesozoic in Ponder, W., and Lunney, D., eds. The Other 99%. Transactions of the Royal Zoological Society of New South Wales, Mosman.
- Main, B.Y. 2008. A new species of the mygalomorph spider genus Yilgarnia from the Western Australian wheatbelt (Araneae: Nemesiidae). Records of the Western Australian Museum 24: 321–324.
- Main, B.Y., Sampey, A., and West, P.L.J. 2000. Mygalomorph spiders of the southern Carnarvon Basin, Western Australia. Records of the Western Australian Museum, Supplement vol. 61, pp. 281–293.
- Marchant S.and Higgins P.J. 1993. Handbook of Australian, New Zealand and Antarctic birds, vol. 2. Oxford University Press: Melbourne.
- Masters, P. 1998. The mulgara Dasycercus cristicauda (Marsupialia: Dasyuridae) at Uluru National Park, Northern Territory. Australian Mammalogy. 20:403-407.
- Mattiske and Associates 1994. Assessment of three gazetted rare plants: *Daviesia microcarpa*, *Lepidium catapycnon* and *Pityrodia scabra*. Report prepared for the Western Australian Department of Conservation and Land Management, Perth, Western Australia.

- MCA 2005. Enduring value: The Australian minerals industry framework for sustainable development. Mineral Council of Australia, Forrest, ACT.
- McAuley S.D. and Kozar M.D. 2006. Groundwater quality in unmined areas and near reclaimed surface coal mines in the northern and central Appalachian coal regions, Pennsylvania and West Virginia. Report prepared for the U.S. Geological Survey, Virginia, USA.
- McKenzie, N.L. and Bullen, R.D. 2009. The echolocation calls, habitat relationships, foraging niches and communities of Pilbara microbats. Records of the Western Australian Museum, Supplement 78: 123–155.
- McKenzie N. and Burbidge A. 2002. Mammals in Sattler, P and Creighton, C (eds), National Land and Water Resources Audit, Canberra, ACT.
- McKenzie N.L., van Leeuwen S. and Pinder A.M. 2009. Introduction to the Pilbara Biodiversity Survey, 2002-2007. Records of the Western Australian Museum Supplement 78: 3-89.
- Menz M & Cullen P. 2006. Occurrence of the barking gecko Underwoodisaurus milii (Bory 1825)(Gekkonidae) in the Pilbara region, Western Australia. Journal of the Royal Society of Western Australia.
- Molhar 2011. Population genetic assessment of the Pilbara leaf-nosed bat Rhinonicteris aurantia, with a focus on the Goldsworthy group. Unpublished report for BHP Billiton Iron Ore, Perth, Western Australia.
- Morgan D.L. and Gill H.S. 2004. Fish fauna in inland waters of the Pilbara (Indian Ocean) Drainage Division of Western Australia evidence for three subprovinces. Zootaxa 636: 1-43.
- Moro D. and Kutt A. 2014. Northern Short-tailed Mouse Leggadina lakedownensis. In Van Dyck, S. and R. Strahan (Eds.) The Mammals of Australia. Reed New Holland. Sydney. Edition: 3rd, Publisher: Reed New Holland, pp.583-584.
- Moseby K. and O'Donnell E. 2003. Reintroduction of the greater bilby, Macrotis lagotis (Reid) (Marsupialia: Thylacomyidae), in the northern South Australia: survival, ecology and notes on reintroduction protocols, Wildlife Research, vol. 30, pp. 15-18.
- MWH 2014. Development of Pilbara landscape ecohydrological units. Report prepared for BHP Billiton Iron Ore by MWH, Jolimont, Western Australia.
- Myers B., Allan G., Bradstock R., Dias L., Duff G., Jacklyn P., Landsberg J., Morrison J., Russell-Smith J. and Williams R. 2004. Fire management in the rangelands. Tropical Savannas Management CRC, Darwin, Northern Territory.
- Natural Resource Policies and Program Committee 2009. Australia's strategy for the national reserve system 2009–2030. Report prepared for the Natural Resource Policies and Program Committee, Canberra, ACT.
- Oakwood M. 2002. Spatial and social organization of a carnivorous marsupial Dasyurus hallucatus (Marsupialia: Dasyuridae). Journal of Zoology London 257: 237-248.
- Oakwood, M., Bradley, A.J., and Cockburn, A. 2001. Semelparity in a large marsupial. Proceedings of the Royal Society, London (B) 268, 407-411.
- Onshore 2014. Consolidation of regional vegetation mapping, BHP Billiton Iron Ore Pilbara tenure. Report prepared for BHP Billiton Iron Ore by Onshore Environmental Consultants Pty Ltd (Onshore) June 2014, Yallingup, Western Australia.
- Onshore 2015. Orebody 31 flora and vegetation environmental impact assessment. Report prepared for BHP Billiton Iron Ore by Onshore Environmental Consultants Pty Ltd (Onshore), Yallingup, Western Australia.
- Pacific Environment Limited 2015. Central Pilbara Strategic Environmental Assessment Cumulative Air Quality Assessment. Report prepared for BHP Billiton Iron Ore, Perth, Western Australia.
- Pavey C. 2006. Threatened species of the Northern Territory, Greater bilby Macrotis lagotis. Department of Natural Resources Environment and the Arts, Parks and Wildlife Commission Northern Territory.
- Payne A.L. 2004. Geomorphology in: van Vreeswyk Geology and hydrogeology. In: Van Veeswyk A.M.E., Payne, A.L., Leighton, K.A. and Hennig, P. (eds). An inventory and condition survey of the Pilbara region, Western Australia. Technical Bulletin, vol. 92, pp. 70-86, Department of Agriculture, Western Australia.
- Pearson D.J. 1992. Past and present distribution and abundance of the Black-footed Rock wallaby in the Warburton region of Western Australia. *Wildlife Research*, vol. 19, 605–622.

Pearson D. 1993. Distribution, status and conservation of pythons in Western Australia, in Lunney, D and Ayers, D (eds), Herpetology in Australia: a Diverse Discipline, pp. 383-395, Royal Zoological Society of NSW, Sydney.

Pearson D. 2003. Giant pythons of the Pilbara. Landscope, vol. 19, pp. 32–39.

- PEL 2012. Internal report only air quality assessment: South Flank iron ore mine. Report prepared by Pacific Environment Limited for BHP Billiton Iron Ore.
- PEL 2013. Draft Atmospheric Dispersion Modelling of Pit 1 East Mining Area C. Report prepared by Pacific Environment Limited for BHP Billiton Iron Ore.
- PEL 2014. Revised draft report Air Quality Assessment for Mining Area C. Report prepared by Pacific Environment Limited for BHP Billiton Iron Ore.
- Pilbara Development Commission 2014. Pilbara tourism product development plan. Pilbara Development Commission in partnership with Pilbara Regional Council and Tourism WA.
- Pilbara Development Commission 2015. Economic profile. Viewed: 25 August 2015. Accessed at: http://www.economicprofile.com.au/pilbara/economy/regional-exports.
- Ponder W. and Colgan D.J. 2002. What makes a narrow range taxon? Insights from Australian freshwater snails. *Invertebrate Systematics*, vol. 16, pp. 571–582.
- Purtill J. 2014. Ghost bat autopsy finds cane toads bones, explains populations freefall in NT, Qld: expert. Viewed: 30 October 2015. Available at: http://www.abc.net.au/news/2014-10-14/cane-toad-carnivorousghost-bat-local-extinction-kakadu/5793464
- Radford I. J. 2012. Threatened mammals become more predatory after small-scale prescribed fires in a highrainfall rocky savanna. Austral Ecology 37, pp. 926–935.
- Read J. L. 1998. The ecology of sympatric scincid lizards (Ctenotus) in arid Australia. Australian Journal of Zoology 46:617.629.
- Rio Tinto 2013. Koodaideri Iron Ore Mine and Infrastructure Project. Public Environmental Review, July 2013. Prepared for Rio Tinto by Eco Logical Australia, Perth, Western Australia
- Rio Tinto 2015. Yandicoogina Iron Ore Project Revised Proposal. Report prepared for Rio Tinto by Eco Logical Australia, Perth, Western Australia.
- Robe River Mining Co 2015. West Angelas Closure Plan, February 2015. Report prepared by Robe River Mining Co Pty Ltd, Perth Western Australia.
- RPS 2014a. Ecohydrological conceptualisation of the Central Pilbara Hub. Report prepared for BHP Billiton Iron Ore by RPS, Subiaco, Western Australia.
- RPS 2014b. Ecohydrological conceptualisation of the Eastern Pilbara Hub. Report prepared for BHP Billiton Iron Ore by RPS, Subiaco, Western Australia.
- Rutherford J., Roy V. and Johnson S.L. 2005. The hydrogeology of groundwater dependent ecosystems in the Northern Perth Basin, Hydrogeological Record Series HG11. Report prepared for the Western Australian Department of Environment, Perth, Western Australia.
- Schulz, M. and Menkhorst, K. (1986). Roost preference of cave dwelling bats at Pine Creek, Northern Territory. Macroderma 2(1), 2-7.
- Shepherd D.P., Beeston G.R. and Hopkins A.J.M. 2001. Native vegetation in Western Australia extent, type and status, Resource Management Technical Report 249. Western Australian Department of Agriculture, Perth, Western Australia.
- Sierwald P. and Bond J.E. 2007. Current status of the myriapod class Diplopoda (millipedes): Taxonomic diversity and phylogeny. Annual Review of Entomology 52: 401–420.
- Skrzypek G., Dogramaci S. and Grierson P.F. 2013. Geochemical and hydrological processes controlling groundwater salinity of a large inland wetland of northwest Australia. *Chemical Geology*, vol. 357, pp. 164– 177.
- Simon-Brunet, B. 1994. The Silken Web: a natural history of Australian Spiders. Reed Books.

- Slack-Smith S.M. 2002. A preliminary survey of the terrestrial molluscan fauna within and adjacent to the landbased component of the proposed Gorgon Development, Barrow Island, Western Australia. Report to Gorgon Venture, Appendix H.
- SLWA 2010. Western perspectives of a nation: pastoral. Online article prepared by the State Library of Western Australia (SLWA). Viewed: 30 October 2015. Accessed at: http://slwa.wa.gov.au/wepon/land/html/pastoral. html.
- Sommer B. and Froend R. 2014. Phreatophytic vegetation responses to groundwater depth in a drying Mediterranean-type landscape. *Journal of Vegetation Science*, vol. 25(4), pp. 1045–1055.
- Southgate R. and Carthew S. 2006. Diet of the bilby (Macrotis lagotis) in relation to substrate, fire and rainfall characteristics in the Tanami Desert. *Wildlife Research*, vol. 33, pp. 507–519.
- Southgate R., Paltridge R., Masters R. and Carthew S. 2007. Bilby distribution and fire: a test of alternative models of habitat suitability in the Tanami Desert, Australia. *Ecography*, vol. 30, pp.759–776.
- Specialised Zoological 2014. Goldsworthy bat monitoring: August 2013-February 2014, Acoustic Analysis, unpublished reporting by Specialised Zoological to BHP Billiton Iron Ore.
- Spencer P., How R. Hillyer M., Cook A., Morris K., Stevenson C. and Umbrello L. 2013. Genetic analysis of northern quolls from the Pilbara Region of Western Australia, Murdoch University.
- SRK Consulting 2013a. Orebodies 29, 30 and 35: Preliminary acid and metalliferous drainage risk assessment. Report prepared for BHP Billiton Iron Ore, Perth, Western Australia.
- SRK Consulting 2013b. Orebodies 23 and 25: Preliminary acid and metalliferous drainage risk assessment. Report prepared for BHP Billiton Iron Ore, Perth, Western Australia.
- SRK Consulting 2015. Orebody 32E: Preliminary acid and metalliferous drainage risk assessment. Report prepared for BHP Billiton Iron Ore, Perth, Western Australia.
- Start A.N., Anstee S.D. and Endersby M. 2000. A review of the biology and conservation status of the Ngadji, Pseudomys chapmani Kitchener, 1980 (Rodentia: Muridae), in CALMScience 3(2): pp 125 - 147 (2000).
- Storr G.M. 1980. A new Lerista and two new Ctenotus (Lacertilia: Scincidae) from Western Australia. Rec. West. Aust. Mus. 8 (3): pp 441-447.
- Strahan R. (ed.) 1998. The mammals of Australia, 2nd ed., rev. Australian Museum and Reed New Holland, Sydney, New South Wales.
- Subterranean Ecology 2010. Fortescue Metals Group Solomon Project: Kings Deposits subterranean fauna survey and assessment. Report No. 2010/ 20. Report prepared by Subterranean Ecology, Stirling, Western Australia.
- Sustainable Consulting 2013b. Bilby Workshop Talkbook. Viewed: January 2015. Available at: http://www.sustainable.net.au/wp-ontent/uploads/2013/10/Bilby-Workshop-TalkBook-101013.pdf.
- Swan W. and Wilson S. 2010. A complete guide to reptiles of Australia. New Holland Publishers, Australia.
- 360 Environmental 2015. Strategic proposal: identifying and prioritising environmental assets and species. Report prepared on behalf of BHP Billiton Iron Ore by 360 Environmental, West Perth, Western Australia.
- Thompson A.S., Thompson G.G. and Finlayson G.R. 2009. Range extensions for the barking gecko, Nephrurus milii (Squamata: Gekkonidae). Journal of the Royal Society of Western Australia, vol. 92. pp 27–29.
- Tidemann, C. R., Priddel, D. M., Nelson, J. E., and Pettigrew, J. D. 1985. Foraging behaviour of the Australian Ghost Bat, Macroderma gigas (Microchiroptera: Megadermatidae). Australian Journal of Zoology 33, 705-713.
- Tille P. 2006. Soil-landscapes of Western Australia's rangelands and arid interior, resource management technical report 313. Report prepared by the Western Australian Department of Agriculture and Food, Perth, Western Australia.
- Tingley R., Phillips B., Letnic M., Brown G., Shine R. and Baird S. 2013. Identifying optimal barriers to halt the invasion of cane toads Rhinella marina in arid Australia, Journal of Applied Ecology, vol. 50, pp. 129-137.

- TSSC 2005. Northern quoll (Dasyurus hallucatus): Advice to the Minister for the Environment and Heritage from the TSSC on amendments to the list of threatened species under the Environment Protection and Biodiversity Conservation Act 1999. Threatened Species Scientific Committee (TSSC), Canberra, ACT.
- Turner G. 2013. Vulnerability of vegetation to mining dust at the Jack Hills, Western Australia, Masters for the University of Western Australia, Nedlands, Western Australia.
- Unmack P.J. 2001. Biogeography of Australian freshwater fishes. Journal of Biogeography vol 28. Pp. 1053– 1089.
- van Dyck S. and Strahan R. 2008. The mammals of Australia, ed. 3. Reed New Holland, Sydney, New South Wales.
- van Vreeswyk A. M. E., Payne A. L., Leighton K. A. and Hennig P. 2004. An inventory and condition survey of the Pilbara region. Western Australian Department of Agriculture, Perth, Western Australia.
- Wardle D.A. 2006. The influence of biotic interactions on soil biodiversity. Ecol. Lett., vol. 9, pp. 870-886.
- Watterson I., Abbs D., Bhend J., Chiew F., Church J., Ekström M., Kirono D., Lenton A., Lucas C., McInnes K., Moise A., Monselesan D., Mpelasoka F., Webb L. and Whetton P. 2015. Climate change in Australia: Projections for Australia's natural resource management regions: Cluster reports. Ekström, M. et al. (eds), CSIRO and Bureau of Meteorology, Australia.
- Whelan R. 1995. The ecology of fire. Cambridge University Press, Cambridge, United Kingdom.
- Whelan R., Kanowski K., Gill M. and Andersen A. 2006. Living in a land of fire. Viewed: 29 September 2014. Accessed at: http://www.environment.gov.au/node/22609. Article prepared for the 2006 Australia State of the Environment Committee, Department of Environment and Heritage, Canberra, ACT.
- Whitely P.G. 1945. New sharks and fishes from Western Australia. Part 2. *Australian Zoologist*, vol. 11, pp. 1–45.
- Wilson S. and Swan G. 2010. A Complete Guide to Reptiles of Australia, 3rd edition. Reed New Holland, Sydney.
- Woinarski J., Legge S., Fitzsimons J.A., Traill B.J., Burbidge A.A., Fisher A., Firth R.S.C., Gordon I.J., Griffiths A.D., Johnson C.N., McKenzie N.L., Palmer C., Radford I., Rankmore B., Ritchie E.G., Ward S. and Ziembicki M. 2011. The disappearing mammal fauna of Northern Australia: context, cause, and response. Conservation Letters 4:192–201.
- Worthington Wilmer, J. (2012). Ghost Bat Macroderma gigas. In 'Queensland's threatened animals'. (Eds L. K. Curtis, A. J. Dennis, K. R. McDonald, P. M. Kyne and S. J. S. Debus.) pp. 382-383. (CSIRO: Canberra.)
- Worthington-Wilmer J., Moritz C., Hall L. and Toop J. 1994, Extreme population structuring in the threatened Ghost Bat, Macroderma gigas: evidence from mitochondrial DNA. Proceedings of the Royal Society, London (1974). vol. 257 pp. 193–198